




**SPOOK
6419**



CODE:

6419

TPOLOGY:

Walkover LED profile

MATERIALS:

diffuser in coextruded anti-UV methacrylate

LIGHT:

LED, diffuse

LIGHT SOURCES:

/W - LED 24V - 13,4W 1800lm 4000K CRI>80
/WW - LED 24V - 13,4W 1800lm 3000K CRI>80

IP GRADE:

67

NET WEIGHT:

2,30 Kg


DIMENSIONS:

Cable Length- 100 cm (39,37 ")



FINISHES:

.01 white





CUSTOM SIZES

Table of available lengths. Measures are referred to complete fixtures including closing heads

cm.	watt	3000K (WW)	lm	4000K (W)	lm
14	0,9W	A6417.01/14/WW	120	A6417.01/14/W	120
24	1,8W	A6417.01/24/WW	240	A6417.01/24/W	240
34	2,7W	A6417.01/34/WW	360	A6417.01/34/W	360
44	3,6W	A6417.01/44/WW	480	A6417.01/44/W	480
54	4,5W	6417.01/WW	600	6417.01/W	600
64	5,3W	A6417.01/64/WW	720	A6417.01/64/W	720
74	6,2W	A6417.01/74/WW	840	A6417.01/74/W	840
84	7,1W	A6417.01/84/WW	960	A6417.01/84/W	960
94	8W	A6417.01/94/WW	1080	A6417.01/94/W	1080
104	8,9W	6418.01/WW	1200	6418.01/W	1200
114	9,8W	A6417.01/114/WW	1320	A6417.01/114/W	1320
124	10,7W	A6417.01/124/WW	1440	A6417.01/124/W	1440
134	11,6W	A6417.01/134/WW	1560	A6417.01/134/W	1560
144	12,5W	A6417.01/144/WW	1680	A6417.01/144/W	1680
154	13,4W	6419.01/WW	1800	6419.01/W	1800

DRIVERS:

0155 Driver 24V - 13W
 0156 Driver 24V - 25W
 0160 Driver 24V - 50W
 0157 Driver 24V - 75W


0161/100 Driver 24V - 100W
 0162 Driver 24V - 150W
 0110/DIM Dimmer 12/24V
 0717/DIM60 Dimmer 24V - 60W

0717/DIM100 Dimmer 24V - 100W
 0115/EM Emergency Unit

ACCESSORIES:




Starting recessed box with caps and element for lamp maintenance



0298/54	55,1x4x9cm	0,9 kg
0298/104	105,1x4x9cm	1,7 kg
0298/154	155,1x4x9cm	2,6 kg
0298/308	309,1x4x9cm	5,7 kg




Recessed box
 The end stoppers are included in the starting box.



0299/54	54,1x4x9cm	0,8 kg
0299/104	104,1x4x9cm	1,6 kg
0299/154	154,1x4x9cm	2,5 kg
0299/308	308,1x4x9cm	5,7 kg




2 anchor brackets for recessed box



0295



2 joints for recessed box



0293/S



2 end stoppers for recessed box




0301



CUSTOM SIZES

Spook system codes to compose endless light lines:

- 6417.01 cm.54
- 6418.01 cm.104
- 6419.01 cm.154
- A6417.01 cm.14 ... cm 144



Starting recessed box with element for lamp maintenance.