



FOTOMETRIC DATA P011B-00-A/P011B-00-B



<i>Electrical part</i>	021.791.100
<i>Power</i>	18W
<i>Light Output</i>	2000lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	90
<i>Lamp Light Output</i>	77%
<i>Light Output of the lamp</i>	1540lm
<i>Beam Angle</i>	100°
<i>Beam Inclination</i>	

<i>Illuminance</i>	1m	588lux
	2m	147lux
	3m	65lux
	4m	37lux
	5m	24lux


FOTOMETRIC DATA P0011C-00-A/P011C-00-B



<i>Electrical part</i>	021.791.200
<i>Power</i>	36W
<i>Light Output</i>	4000lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	90
<i>Lamp Light Output</i>	77%
<i>Light Output of the lamp</i>	3080lm
<i>Beam Angle</i>	100°
<i>Beam Inclination</i>	

<i>Illuminance</i>	1m	1177lux
	2m	294lux
	3m	131lux
	4m	74lux
	5m	47lux

FOTOMETRIC DATA P011D-00-A/P011D-00-B:




<i>Electrical part</i>	021.791.300
<i>Power</i>	54W
<i>Light Output</i>	6000lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	90
<i>Lamp Light Output</i>	77%
<i>Light Output of the lamp</i>	4620lm
<i>Beam Angle</i>	100°
<i>Beam Inclination</i>	


<i>Illuminance</i>	1m	1765lux
	2m	441lux
	3m	196lux
	4m	110lux
	5m	71lux

ACCESSORIES:


LED strip



Code 021.793
Power 10W/m
Tension 24Vdc
Flux 1150lm/m
Colour Temperature 3000°K
CRI 90
led/m 224




Code 021.790
Power 15W/m
Tension 24Vdc
Flux 1400lm/m
Colour Temperature 3000°K
CRI 90
led/m 140




Code 021.791
Power 18W/m
Tension 24Vdc
Flux 2000lm/m
Colour Temperature 3000°K
CRI 90
led/m 224

Other Accessories




Code P013.KIT01
Description Couple of end caps
Notes




Code 029.018.100
Description Replacement opal cover
Notes L 1000mm



Code 029.019.100
Description Replacement opal cover
Notes L 1000mm



Code TGA
Description Cut to size
Notes (45°-90°)



Code TGP
Description Custom Cut
Notes (different angles)