





Type A




Type B




hole on the plasterboard:  
-P012B 33x1020 ±10mm  
(1,29"x40,15"±0,39")  
-P012C 33x2020 ±10mm  
(1,29"x79,52"±0,39")  
-P012D 33x3020 ±10mm  
(1,29"x118,89"±0,39")




External measures:  
-P012B 83x1020 ±10mm  
(3,26"x40,15"±0,39")  
-P012C 83x2020 ±10mm  
(3,26"x79,52"±0,39")  
-P012D 83x3020 ±10mm  
(3,26"x118,89"±0,39")



Measures of the light output:  
-P012B-00-A 30x1020 ±10mm  
(1,18"x40,15"±0,39")  
-P012B-00-B 37x1020 ±10mm  
(1,45"x40,15"±0,39")  
-P012C-00-A 30x2020 ±10mm  
(1,18"x79,52"±0,39")  
-P012C-00-B 37x2020 ±10mm  
(1,45"x79,52"±0,39")  
-P012D-00-A 30x3020 ±10mm  
(1,18"x118,89±0,39")  
-P012D-00-B 37x3020 ±10mm  
(1,45"x118,89±0,39")



Height without electrical part:  
13.7mm(0,53")



Height including the electrical part:  
13.7mm(0,53")

### General Notes:

- LED= MAX 20W/m
  - Included in the packaging of each profile:
    - ALUMITE® profile;
    - Dual Cover screen:
      - A) Disposable screen for the installation
      - B) opal methacrylate screen;
- STRIP LED 9010 TO BE ORDERED SEPARATELY.

### PROFILES

#### P013

Recessed Profile / ALUMITE

Surface finish : ALUMITE

Without electrical part

### MODEL:

Product family PROFILES  
Type Recessed Profile

### MATERIAL/SURFACE FINISH:

Code 006  
Material ALUMITE  
Surface finish ALUMITE

CODE	TYPE	DESCRIPTION
	<b>TYPE A</b>	<b>Quick recessing system</b>
P013B-00-A		L 1020±10mm – Without electrical part
P013C-00-A		L 2020±10mm – Without electrical part
P013D-00-A		L 3020±10mm – Without electrical part
	<b>TYPE B</b>	<b>Quick recessing system (Plaster finish is not required)</b>
P013B-00-B		L 1020±10mm – Without electrical part
P013C-00-B		L 2020±10mm – Without electrical part
P013D-00-B		L 3020±10mm – Without electrical part

### GENERAL DATA:

#### P013B/P013C/P013D

Weight [Kg] 0.46/0.93/1.3  
Cover METACRILATO OPALINO  
Country of production MADE IN ITALY  
Mounting instruction 025.601\_9010


### INSTALLATION

Multisize system No  
Position Wall/Ceiling lighting

### PACKAGING:

Type Brown carton tube  
Measures AxBxH 90x90x1100mm(P013B)  
90x90x2100mm(P013C)  
90x90x3100mm(P013D)  
Gross Weight [Kg] 0.6477(P013B)  
1.2787(P013C)  
1.8148(P013D)  
Master carton NO  
Quantity of articles  
Measures AxBxH

**FOTOMETRIC DATA P013B-00-A/P013B-00-B**




Electrical part	021.791.100
Power	18W
Light Output	2000lm
Colour Temperature	3000°K
CRI	90

Illuminance	1m	572lux
	2m	143lux
	3m	64lux
	4m	36lux
	5m	23lux

Lamp Light Output	75%
Light Output of the lamp	1500lm
Beam Angle	100°
Beam Inclination	

**FOTOMETRIC DATA P0013C-00-A/P013C-00-B**




Electrical part	021.791.200
Power	36W
Light Output	4000lm
Colour Temperature	3000°K
CRI	90

Illuminance	1m	1143lux
	2m	286lux
	3m	127lux
	4m	71lux
	5m	46lux

Lamp Light Output	75%
Light Output of the lamp	3000lm
Beam Angle	100°
Beam Inclination	

**FOTOMETRIC DATA P013D-00-A/P013D-00-B:**




Electrical part	021.791.300
Power	54W
Light Output	6000lm
Colour Temperature	3000°K
CRI	90

Illuminance	1m	1715lux
	2m	429lux
	3m	191lux
	4m	107lux
	5m	69lux


Lamp Light Output	75%
Light Output of the lamp	4500lm
Beam Angle	100°
Beam Inclination	

**ACCESSORIES:**


LED strip




Code 021.793  
Power 10W/m  
Tension 24Vdc  
Flux 1150lm/m  
Colour Temperature 3000°K  
CRI 90  
led/m 224



Code 021.790  
Power 15W/m  
Tension 24Vdc  
Flux 1400lm/m  
Colour Temperature 3000°K  
CRI 90  
led/m 140




Code 021.791  
Power 18W/m  
Tension 24Vdc  
Flux 2000lm/m  
Colour Temperature 3000°K  
CRI 90  
led/m 224




Code 021.794  
Power 20W/m  
Tension 24Vdc  
Flux 1800-2000lm/m  
Colour Temperature 2700K-6000K  
CRI 85  
led/m 160

Other Accessories




Code P013.KIT01  
Description Couple of end caps  
Notes




Code 029.018.100  
Description Replacement opal cover  
Notes L 1000mm



Code 029.019.100  
Description Replacement opal cover  
Notes L 1000mm



Code TGA  
Description Cut to size  
Notes (45°-90°)



Code TGP  
Description Custom Cut  
Notes (different angles)