

2365B

Recessed Wall Lamp / CRISTALY
Surface finish : CRISTALY

MODEL:

Code 2365B
Product family WALL RECESSED LIGHTING
Type Recessed Wall Lamp

MATERIAL/SURFACE FINISH:

Code 004
Material CRISTALY
Surface finish CRISTALY

CODE ELECTRICAL PART

2365B-2731 LED 16.5W / 700mA / 2450lm / 2700°K / CRI85
2365B-3031 LED 16.5W / 700mA / 2600lm / 3000°K / CRI85
2365B-4031 LED 16.5W / 700mA / 2750lm / 4000°K / CRI85

GENERAL DATA:

Dimmable Yes
Power Supply by Remote Power Supply
Connection 2 PVC cables
Cover Transparent Silicon Paint
Protection Index IP20
Isolation Class III
Weight [Kg] 3.65
Country of production MADE IN ITALY
Mounting instruction 025.387_9010_REV06

INSTALLATION


Multisize system YES
Position Wall Lamp

PACKAGING:

Type White american Box
Measures AxBxH 460x245x350mm
Gross Weight [Kg] 4.4586
Master carton NO


Notes on measures

FOTOMETRIC DATA 2365B-2731:




<i>Electrical part</i>	2731
<i>Power</i>	16.5W
<i>Light Output</i>	2450lm
<i>Colour Temperature</i>	2700°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	45%
<i>Light Output of the lamp</i>	1102.5lm
<i>Beam Angle</i>	28°
<i>Beam Inclination</i>	18°

FOTOMETRIC DATA 2365B-3031:



<i>Electrical part</i>	3031
<i>Power</i>	16.5W
<i>Light Output</i>	2600lm
<i>Colour Temperature</i>	3000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	45%
<i>Light Output of the lamp</i>	1170lm
<i>Beam Angle</i>	28°
<i>Beam Inclination</i>	18°


FOTOMETRIC DATA 2365B-2731:



<i>Electrical part</i>	4031
<i>Power</i>	16.5W
<i>Light Output</i>	2750lm
<i>Colour Temperature</i>	4000°K
<i>CRI</i>	85
<i>Lamp Light Output</i>	45%
<i>Light Output of the lamp</i>	1237.5lm
<i>Beam Angle</i>	28°
<i>Beam Inclination</i>	18°


ACCESSORIES

Housing Box for Brickwork



Code 023.4008
Measures 325X285X100mm
Measures of the hole 355X315X110m

Other Accessories



Code 099.142
Description Emergency Kit
Notes

Standard Power Supply



Code 026.255
Measures 88.5x41x23mm
Power min11.9W max18.2W
Input 110-277V~W
Output 700mA



Code 026.256
Measures 118x42.5x24mm
Power min24.9W max35.7W
Input 110-277V~W
Output 700mA

Dimmable Power Supply



Code 026.300
Measures 155x51x26mm
Power 28W
Input 110-277V~W
Output 700mA
Dimmable PUSH/0-10V/DALI



Code 026.206
Measures 124x82x23mm
Power 60.2W
Input 110-277V~W
Output 700mA
Dimmable PUSH/DALI



Code 026.207
Measures 124x82x23mm
Power 60.2W
Input 110-277V~W
Output 700mA
Dimmable 0-10V