BYIBA
BACKLIGHT

Designed by :
9010 it

CE IP 20 III C.C. [m.A.]



Base

Ø30mm (1,18"")



Height

400mm
(15,74")



Measures of the light output

Ø16mm (0,62")

5507B

Suspension Lamp / CRISTALY
Surface finish : CRISTALY

MODEL:

Code	5507B
Product family	HANGING LAMPS
Type	Suspension Lamp

MATERIAL/SURFACE FINISH:

Code	004
Material	CRISTALY
Surface finish	CRISTALY

CODE	ELECTRICAL PART
5507B-2739	LED 4W-350mA-330lm-2700°K-CRI85
5507B-3039	LED 4W-350mA-350lm-3000°K-CRI85
5507B-4039	LED 4W-350mA-370lm-4000°K-CRI85
Light Output of the lamp	165lm/175lm/185

GENERAL DATA:

Protection Index	IP20
Isolation Class	II
Weight [Kg]	0.5
Country of production	MADE IN ITALY
Mounting instruction	025.582_9010
Dimmable	YES
Power Supply	by Remote Power Supply

INSTALLATION

Multisize system	NO
Position	Suspension Lamp

PACKAGING:

Type	White american Box
Measures AxBxH	570x170x125mm
Gross Weight [Kg]	0.7483
Master carton	NO
Quantity of articles	
Measures AxBxH	

General Notes:

g@gordonbullard.com
www.byiba.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

BYIBA
BACKLIGHT

Designed by :
9010 it

FOTOMETRIC DATA 5507B-2739



Electrical part	2739
Power	4W
Light Output	330lm
Colour Temperature	2700°K
CRI	85
Lamp Light Output	50%
Light Output of the lamp	165lm
Beam Angle	43°
Beam Inclination	0°

Illuminance		
	1m	*276lux*
	2m	*69lux*
	3m	*31lux*
	4m	*17lux*
	5m	*11lux*

FOTOMETRICDATA 5507B-3039



Electrical part	3039
Power	4W
Light Output	350lm
Colour Temperature	3000°K
CRI	85
Lamp Light Output	50%
Light Output of the lamp	175lm
Beam Angle	43°
Beam Inclination	0°

Illuminance		
	1m	*292lux*
	2m	*73lux*
	3m	*32lux*
	4m	*18lux*
	5m	*12lux*

FOTOMETRICDATA 5507B-4039



Electrical part	4039
Power	4W
Light Output	370lm
Colour Temperature	4000°K
CRI	85
Lamp Light Output	50%
Light Output of the lamp	185lm
Beam Angle	43°
Beam Inclination	0°

Illuminance		
	1m	*309lux*
	2m	*77lux*
	3m	*34lux*
	4m	*19lux*
	5m	*12lux*

ACCESSORIES

Standard Power Supply

Code	026.250
Measures	80x32x25mm
Power	min2.8W max4.2W
Input	110-277V~
Output	350mA

Code	026.251
Measures	88.5x41x23mm
Power	min6W max8.8W
Input	110-277V~
Output	350mA

Code	026.236
Measures	88.5x41x23mm
Power	min8.8W max12W
Input	110-277V~
Output	350mA

Code	026.252
Measures	88.5x41x23mm
Power	min12.6W max18.2W
Input	110-277V~
Output	350mA

Code	026.221
Measures	84x57x30mm
Power	min9.8W max35W
Input	110-277V~
Output	350mA

Dimmable Power Supply

Code	026.300
Measures	155x51x26mm
Power	16.1W
Input	110-277V~
Output	350mA
Dimmable	PUSH/0-10V/DALI

Code	026.185
Measures	124x82x23mm
Power	35W
Input	110-277V~
Output	350mA
Dimmable	PUSH/DALI

Code	026.187
Measures	124x82x23mm
Power	35W
Input	110-277V~
Output	350mA
Dimmable	0-10V

g@gordonbullard.com
www.byiba.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

BYIBA
BACKLIGHT

Designed by :
9010 it

ACCESSORIES

Other Accessories



Code 5508A-00
Description Ceiling Rose Ø130x25m

Code 5505A-00
Description Recessed Ceiling Rose



Code 5505B-00
Description Recessed Ceiling Rose

Code 5505C-00
Description Recessed Ceiling Ros

Code 5505D-00
Description Recessed Ceiling Rose

Code 5505E-00
Description Recessed Ceiling Rose



Code 099.142
Description Emergency Kit

Code 020.314
Description Coloured cables

g@gordonbullard.com
www.byiba.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA