

**BYIBA**  
L I G H T



**ABITO COB / SMD**  
**(pendant)**

**BY-5103-P**

PROJECT

SPEC TYPE

NOTES



### GENERAL INFORMATION:

Our modern and minimalist pendant lighting fixtures, available in two sizes, are crafted from aluminum with an electrostatic powder coating. The small model measures  $\varnothing$  12.3" (31.2 cm) x H 2.24" (5.7 cm), and the big model measures  $\varnothing$  13.8" (35 cm) x H 2.56" (6.5 cm). Finished in black, these LED fixtures support 110-277V, with color temperatures of 3000K, 4000K, and 5700K, and wattages of 80W, 100W, 120W, and 150W, offering CRI options of 80 or 90. ETL certified and designed for indoor use, they are perfect for both residential and commercial spaces.

### HOUSING:

GEAR BOX - AL. Die-Casting, Electrostatic Powder Coating

SHADE - PC

TRIM RING - AL. Spinning Processing, Electrostatic Powder Coating

SHADE - AL. Spinning Processing, Electrostatic Powder Coating

REFLECTOR - AL. Anodized Specular Silver

### FINISHING:

White, Black, Grey

### LIGHTING:

LED (COB/SMD)

### INPUT VOLTAGE:

110-277V

### IP RATING:

20

### OPERATING TEMPERATURE RANGE:

-20 to +40 C

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)


[www.byiba.com](http://www.byiba.com)

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



LED
110-277V
IP20
3.2 kg

### HOW TO ORDER:

### CODE:

Example:  
CODE: BY-5103-P-01-C4-K30-80-BL-RE

BY-5103-P-01-  
C4-K30-80-  
BL-RE

### 1 DIMENSIONS:

- 01 A) Diameter- Ø: 12.8" (32.5 cm)  
B) Height - H: 14.5" (36.8 cm)  
C/D) Canopy Ø: 3.54" (9 cm) x H: 1.06" (2.5 cm)
- 02 A) Diameter- Ø: 13.2" (33.6 cm)  
B) Height H: 14.2" (36 cm)  
C) Canopy Ø: 3.54" (9 cm) x H: 1.06" (2.5 cm)

### 2 LIGHT SOURCE:

- C4 COB - 40W - 1 050 mA - 3 879 lm
- C4-1 COB - 40W - 1 050 mA - 4 214 lm
- S4 SMD - 41W - 1 050 mA - 2 865 lm
- S4-1 SMD - 41W - 1 050 mA - 3 134 lm

### 3 CCT SPECIFY:

- K30 3000K
- K40 4000K
- K50 5000K

### 4 CRI:

- 80 CRI 80
- 90 CRI 90

### 5 FINISH OPTIONS:

- BL Black
- GR Grey
- WH White

### 6 DRIVER POSITION:

- RE Remove

- TECHNICAL
- OUTDOOR
- DECORATIVE



PROJECT

SPEC TYPE

NOTES

## HOW TO ORDER:


## CODE:

Example:  
CODE: BY-5103-P-01-C4-K30-80-RE


BY-5103-P-01-  
C4-K30-80-  
BL-RE

## 7 PHOTOMETRICS


BY-5103-P-C4-K30





BY-5103-P-C4-1-K30



BY-5103-P-S4-K30



BY-5103-P-S4-1-K30



[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
 1 877-964-4646