

CIAMBO COLLECTION (magnetic track)

BY-50-MTR



SPEC TYPE

NOTES



GENERAL INFORMATION:

The Cambio Track Collection offers a modern DC Track System with three profile options: Surface-Mounted S, Surface-Mounted L, and Recessed. Available in black and white finishes, the system comes in lengths of 39.4", 78.7", and 118". It features pendant lights from the Ciambo series, with up to 3 customizable pieces. LED lighting options include CCT of 3000K, 4000K, or 5000K, with CRI of 80 or 90. Crafted from durable aluminum with an electrostatic powder coating, this collection is perfect for versatile and stylish indoor lighting.

MATERIAL:

AL, Electrostatic Powder Coating

FINISHING:

White, Black

LIGHTING:

LED

VOLTAGE:

Low Voltage Track (48V)

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-20 to +40 C























CONTACT US:





















HOW TO ORDER:

Example:

CODE: BY-50-MTR-1-01-65020-03-K30-C80-B1-WL

CODE:

BY-50-TR-1-01-6502 0-03-K30-

C80-B1-WL

1 CHOOSE TRACK MODEL:

Surface-Mounted S profile



-1-01 L: 39.4" (100 cm)

-1-02 L: 78.7" (200 cm)

-1-03 L:118" (300 cm)

Surface-Mounted L profile



-2-01 L: 39.4" (100 cm)

-2-02 L: 78.7" (200 cm)

-2-03 L:118" (300 cm)

Recessed profile



-3-01 L: 39.4" (100 cm)

-3-02 L: 78.7" (200 cm)

-3-03 L:118" (300 cm)

2 FINISH OPTION TRACK PROFILE:



Black White

WWW.BULLARDCOLLECTION.COM







CONTACT US:




SPEC TYPE

NOTES



















HOW TO ORDER:

Example:

CODE: BY-50-MTR-1-01-65560-01-K30-C80-WL

CODE:

BY-50-TR-1-01-6502 0-03-K30-C80-B1-WL

1 CHOOSE TRACK HEAD:

GENERAL INFORMATION

CODE - -65560-01

Dimensions: L: 9.65" (24.5 cm) x H: 0.87" (2.2 cm)
Housing: AL. Extrude, Electrostatic Powder Coating

Cover: Lens Light Source: LED (SMD) Power: 12W

Lumens: 698 lm (3000K)

Output Current 350 mA

CCT: K30 - 3000K

K40 - 4000K K50 - 5000K

CRI: C80 - 80

C90 - 90

Finish options: -WL - White

-BL - Black

Operating temperature range - -20 to +40°C

Maintenance of lumen - L80 - 50 000 hours at 25 °C

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE




CONTACT US:



SPEC TYPE

NOTES



















HOW TO ORDER:

Example:

CODE: BY-50-MTR-1-01-65560-01-K30-C80-WL

CODE:

BY-50-TR-1-01-6502 0-03-K30-C80-B1-WL

CHOOSE TRACK HEAD:

GENERAL INFORMATION

CODE --65560-02

L: 9.65" (24.5 cm) x H: 0.87" (2.2 cm) Dimensions: AL. Extrude, Electrostatic Powder Coating Housing:

Cover: PC

LED (SMD) Light Source: 10W Power: Output Current 350 mA

CCT: K30 - 3000K

> K40 - 4000K K50 - 5000K

CRI: C80 - 80

C90 - 90

-WL - White Finish options:

-BL - Black

Operating temperature range - -20 to +40°C

Maintenance of lumen - L80 - 50 000 hours at 25 °C

WWW.BULLARDCOLLECTION.COM

TECHNICAL OUTDOOR DECORATIVE





CONTACT US:



SPEC TYPE

NOTES

















HOW TO ORDER:

Example:

CODE: BY-50-MTR-1-01-65560-01-K30-C80-WL



BY-50-TR-1-01-65560-01-K30-C80-WL

CHOOSE TRACK HEAD:

GENERAL INFORMATION

CODE -59100

L: 38" (96.6 cm) x H: 0.87" (2.2 cm) x W: 0.91 (2.3 cm) Dimensions:

Housing: AL. Extrude & AL. Die-Casting,

Electrostatic Powder Coating

Cover PC

Light Source: LED (SMD) 28W Power:

Lumens: 1 924 lm (3000K)

CCT: -K30 - 3000K

> -K40 - 4000K -K50 - 5000K

CRI: -C80 - 80

-C90 - 90


Finish options: -WL - White

-BL - Black

Operating temperature range - -20 to +40°C

Maintenance of lumen - L80 - 50 000 hours at 25 °C

PHOTOMETRICS:





TECHNICAL OUTDOOR DECORATIVE



CONTACT US:



ACCESSORIES:


-505

Feed-in Cap

-BL - Black -WH - White








-506-01 End Cap

-BL - Black

-WH - White








-506-02

End Cap

-BL - Black -WH - White








-507

Straight Connector

-BL - Black -WH - White






-508

L Connector

-BL - Black -WH - White








-512

Flexibale Connector

-BL - Black -WH - White






-551

Adapter -BL - Black

-WH - White






-552

Adapter

-BL - Black

-WH - White





HOW TO ORDER:

Example:

CODE: -305-BL-306-BL-307-BL-308-BL-310-BL-311-

BL-351-BL

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



CONTACT US: