

**BYIBA**  
L I G H T



**SCOPIO**  
**(cylinders)**

**BY-5507-CL**

PROJECT

SPEC TYPE

NOTES



### GENERAL INFORMATION:

The Scopio Cylinders Collection offers modern and minimalist surface-mounted lighting fixtures made from CRISTALY®. Available in two sizes—small (H: 7.9" x Ø: 1.2") and large (H: 15.75" x Ø: 1.2")—these fixtures feature a sleek, cylindrical design. Powered by a 4W LED with a voltage range of 110-277V and a 350 mA current, they come in a paintable CRISTALY® finish. Certified by ETL, the Scopio collection is perfect for indoor environments and designed for pendant mounting.

### MATERIAL:

CRISTALY®

### FINISHING:

White (paintable )

### LIGHTING:

LED

### VOLTAGE:

110-277V

### DRIVER POSITION:

Remote

### IP RATING:

20

### INSULATION CLASS

III

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)



[www.byiba.com](http://www.byiba.com)

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BY-5507-CL-B-K27-DIM

BY-5507-CL-B-K27-DIM

**1 MODEL:**

- A A) Diameter- Ø: 1.2" (3 cm)  
B) Height - H: 7.9" (20 cm)  
C) Cable - max H: 47.24" (120cm)
- B A) Diameter- Ø: 1.2" (3 cm)  
B) Height - H: 15.75" (40 cm)  
C) Cable - max H: 47.24" (120cm)

**2 LIGHT SOURCE:**

LED / 4W / 350 mA / CRI85

**3 CCT and LUMENS:**

- K27 2700K = 330 lm
- K30 3000K = 350 lm
- K40 4000K = 370 lm

**4 DIMMING OPTIONS:**

- NON Non-Dimmable
- DIM 0-10V

**5 CABLE FINISH OPTIONS:**

