

BYIBA
L I G H T



SILO 94
(cylinders)

BY-51410-CL

PROJECT

SPEC TYPE

NOTES



whisper in eyes

NON GLARE REFLECTOR



GENERAL INFORMATION:

Our modern and minimalist pendant and ceiling lighting fixtures, made from durable aluminum die-casting with an electrostatic powder coating, are perfect for contemporary interiors. Available in dark, black, and grey finishes, these fixtures feature a COB LED that operates at 20W with a voltage range of 110-277V, offering color temperatures of 3000K (warm white) or 4000K (cool white) with CRI options of 80 or 90. They are non-dimmable and can be mounted as pendant or ceiling lights. ETL certified and designed for indoor use, they are ideal for both residential and commercial spaces. The fixtures come with a 5-year limited warranty.

HOUSING:

AL. Die-Casting, Electrostatic Powder Coating

FINISHING:

White, Black, Grey

LIGHTING:

LED (COB)

INPUT VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-20 to +40 C

REFLECTOR:

ABS (Chrome)

WIRE:

PVC

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



whisper in eyes
NON GLARE REFLECTOR



HOW TO ORDER:

CODE:

Example:
CODE: BY-51410-CL-01-B1-K30-80-P-BL-RE

BY-51410-
CL-01-B1-
K30-80-P-BL-RE

1 MODEL:

- 01 A) Diameter- Ø: 3.7" (9.4 cm)
 B) Height - H: 6.7" (17 cm)
 C) Canopy Ø: 2.3"(6 cm) x H: 1" (2.5 cm)
- 02 A) Diameter- Ø: 3.7" (9.4 cm)
 B) Height H: 6.7" (17 cm)
 C) Canopy Ø: 2" (5.2 cm)
- 01-02 A) Diameter- Ø: 3.7" (9.4 cm)
 B) Height H: 6.7" (17 cm)

2 LIGHT SOURCE:

LED - 30W - 750 mA - 28.9

3 BEAM ANGLE - LUMINOUS FLUX:

-B1 28.9° 2 303 lm

4 CCT SPECIFY:

-K30 3000K
-K40 4000K

5 CRI:

-80 CRI 80
-90 CRI 90

6 INSTALLATION TYPE:

-P Pendant
-C Ceiling
-SM Surface Mounted

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



whisper in eyes
NON GLARE REFLECTOR

LED
110-277V
IP20
1.8 kg

HOW TO ORDER:

CODE:

Example:
CODE: BY-51410-CL-01-B1-K30-80-P-BL-RE

BY-51410-CL-01-B1-K30-80-P-BL-RE

7 FINISH OPTIONS:

- BL Black
- GR Grey
- WH White

8 DRIVER POSITION:

- RE Remove

-RE

9 PHOTOMETRIC:



h(m)	E(lx)	D(mm)
1	8590	515
2	2148	1029
3	954	1544

28.9°
2781
C180 C0

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

WE WELCOME ALL CUSTOM ORDERS