

BYIBA
L I G H T



SLIM
(cylinders)

BY-1912-CL

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Slim Pendant Lighting Fixture features a modern LED design with options for recessed or ceiling-mounted bases. Its aluminum body, finished in silk white, matte black, or bronze, is coated with durable epoxy-polyester powders. Equipped with a precision aspherical glass lens, it provides a focused 26° beam angle. Powered by a high-performance COB LED, it offers color temperature options of 2700K, 3000K, or 4000K. DALI dimmable versions are also available.

MATERIAL:

Aluminum

FINISHING:

Silk White, Matt Black, Bronze

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

40

DRIVER POSITION:

Remote

OPERATING TEMPERATURE RANGE:

-20 to +40 C

LED

110-277V

III



IP 40

26°

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE:

Example:
CODE: BY-139-CL-MB-K30-DIM

BY-139-CL-
MB-K30-DIM

1 DIMENSIONS:

A) Diameter - Ø: 1.8" (3 cm)
B) Height - H: 29.5" (75 cm)
C) Cable - H: max. 71" (180 cm)

2 LIGHT SOURCE:

LED / 5.5W / 700 lm / CRI 90 / 3000K

3 FINISH OPTIONS:

-MB Matt Black
-SW Silk White
-BR Bronze


3 CCT:

-K27 2700K
-K30 3000K
-K40 4000K

4 DIMMING OPTIONS:

-DIM 0-10V
-NON Non-Dimmable

5 PHOTOMETRIC:



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

WE WELCOME ALL CUSTOM ORDERS