



VISTIX (cylinders)

BY-52502-CL



**PROJECT** 

SPEC TYPE

**NOTES** 







The Vistix pendant cylinder lighting fixture offers a sleek and modern design, perfect for indoor environments. Made from aluminum and available in sand white or matte black finishes, it features a compact size of Ø 2.44" x H 8.66". Powered by a 20W LED (500 mA) with 1400 lm output and CRI 80, it delivers a beam angle ranging from 18° to 60°. With CCT options of 2700K, 3000K, and 4000K, this fixture supports 0-10V dimming or non-dimmable settings. Rated IP20, it operates on 110-277V and is ETL certified for safety and quality. Ideal for pendant mounting in modern interiors.

#### MATERIAL:

Aluminum

### FINISHING:

Sand White, Matt Black

### LIGHTING:

LED

#### **BEAM ANGLE:**

18°-60°

### **INPUT VOLTAGE:**

110-277V

#### IP RATING:

20

# **OPERATING TEMPERATURE RANGE:**

-10 to +45 C









WWW.BULLARDCOLLECTION.COM

<u>technical</u> <u>outdoor</u>

**DECORATIVE** 



**CONTACT US:** 

sales@gordonbullard.com www.byiba.com 1 877-964-4646


WE WELCOME ALL CUSTOM ORDERS



**PROJECT** 

SPEC TYPE

NOTES



# **HOW TO ORDER:**

Example:

CODE: BY-52502-CL-BM-K30-DIM

### CODE:

BY-52502-CL--BM-K30-DIM

# 1 DIMENSIONS:

A) Diameter - Ø: 2.44" (6.2 cm) B) Height - H: 8.66" (22 cm)

# 2 LIGHT SOURCE:

LED / 20W / 500 mA / 1400 lm / CRI 80

# 3 FINISH OPTIONS:

-BM Matt Black -SW Sand White

# 4 CCT:

-K30 3000K -K40 4000K -K50 5000K

### 5 DIMMING OPTIONS:

-DIM 0-10V

-NON Non-Dimmable









### WWW.BULLARDCOLLECTION.COM

TECHNICAL
OUTDOOR
DECORATIVE



**CONTACT US:** 

sales@gordonbullard.com www.byiba.com 1 877-964-4646