

BYIBA
L I G H T



AGO S
(pathmarkers)

BY-4100E-PC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

It looks like a long, thin groove into which the LED is installed. Available with housing box for brickwork. Ideal for illuminating passageways in a minimal and elegant way, and to ensure safety and visual comfort.

Thanks to the unique and versatile material signed , the product can be painted with water-based colors or possibly customized on request to satisfy every project requirement.

MATERIAL:

CRISTALY®

FINISHING:

White (paintable)

LIGHTING:

LED

VOLTAGE:

24Vdc

DRIVER POSITION:

Remote (not included)

IP RATING:

20

INSULATION CLASS

III



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE:

Example:
CODE: BY-4100E-PC-K27-DIM

BY-4100E-PC-K27-DIM

1 DIMENSIONS:

A) Height - H: 7.2" (18.3 cm)
B) Width - W: 3.58" (9.1 cm)

2 LIGHT SOURCE:

LED / 2W / CRI90

3 CCT and LUMENS:

-K27 2700K = 190 lm
-K30 3000K = 200 lm
-K40 4000K = 210 lm

4 DIMMING OPTIONS:

-NON Non-Dimmable
-DIM 0-10V

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646