


BIKLOS (pendant)

BY-5510B-PN

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

Experience the brilliance of BIKLOS 5510A, where modern design meets superior lighting innovation. With a minimalist aesthetic and advanced engineering, BIKLOS embodies the sophistication and precision that define BYIBA. Perfectly crafted for architectural excellence, it delivers adaptable illumination that elevates any space with timeless elegance.

MATERIAL:

CRISTALY®

FINISHING:

White

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:


20

DRIVER POSITION:

Remote

INSULATION CLASS

II



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-5510B-PN-K27-DALI

CODE:

BY-5510B-
PN-K27-DALI

1 DIMENSIONS:

A) Length - L: 59.06" (150 cm)

B) Diameter - Ø: 0.79" (2 cm)

2 LIGHT SOURCE:

LED / 39W / 110-277V / CRI 85

3 CCT and LUMENS:

-K27 2700K = 4250 lm
-K30 3000K = 4500 lm
-K40 4000K = 4750 lm

4 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-WF WI-FI
-NON Non-Dimmable



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646