



CUADRO (acoustic lighting)


BY-CDR-AC



PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Cuadro Pendant Acoustic Lighting combines high-quality illumination with effective sound absorption, making it ideal for diverse interiors. Made from 0.47" polyester fiber, it's available in 35 acoustic felt colors and offers a soft, efficient LED light source at 15W with a CRI >90, and CCT options of 2700K, 3000K, or 4000K. Its non-toxic, hypoallergenic materials ensure safe use, while its simple design allows for easy disassembly and installation. This fixture enhances both style and acoustics, bringing functionality and elegance to modern spaces.

MATERIAL:

Polyster fiber (0.47")

FINISHING:

35 acoustic felt colors

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-4°F to 104°F

























TECHNICAL

OUTDOOR





CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646

WE WELCOME ALL CUSTOM ORDERS






PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-CDR-AC-K30-AC-00114-DIM

CODE:

BY-CDR-AC-K30AC-00114-DIM

DIMENSIONS:

A) Lenght -20" (50.8 cm) B) Width -W: 20" (50.8 cm) C) Height -H: 15.2" (38.6 cm)

Ø: 5" (12.7 cm) x H: 5" (12.7 cm) Canopy

LIGHT SOURCE:

LED / 10W / 1050 lm / CRI >90

CCT SPECIFY:

-K27 2700K -K30 3000K -K40 4000K

ACOUSTIC FINISH OPTIONS:























TECHNICAL OUTDOOR DECORATIVE



CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646






PROJECT

SPEC TYPE

NOTES





















HOW TO ORDER:

Example:

CODE: BY-CDR-AC-K30-AC-00114-DIM

CODE:

BY-CDR-AC-K30AC-00114-DIM


DIMMING OPTIONS:

-DIM 0-10V -DALI DALI -LT Lutron -CS Casambi WI-FI -WF

-NON Non-Dimmable

PHOTOMETRIC:

LIGHT DISTRIBUTION:



OPTICAL SYSTEM:

Height	Center lx	Diameter
1.m	530.08 lx	312.13cm
2.m	132.52 lx	624.26cm
3.m	58.90 lx	936.39cm
l.m	33.13 lx	1248.52cm
i.m	21.20 lx	1560.65cm
i.m	14.72 lx	1872.78cm
.m	10.82 lx	2184.92cm
l.m	8.28 lx	2497.05cm
l.m	6.54 lx	2809.18cm
0.m	5.30 lx	3121.31cm
1.m	4.38 lx	3433.44cm
2.m	3.68 lx	3745.57cm
13.m	3.14 lx	4057.70cm
4.m	2.70 lx	4369.83cm
15.m	2.36 lx	4681.96cm
16.m	2.07 lx	4994.09cm

WWW.BULLARDCOLLECTION.COM

TECHNICAL OUTDOOR





CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646