



DIVINA ROUND
(pendant)

BY-DIVR-P

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The DIVINA ROUND is a versatile lighting fixture that seamlessly blends high-performance illumination with modern design. Available in both pendant and surface-mounted options, it features a durable aluminum body in 30 color choices. Designed for contemporary interiors, it offers LED light sources from 15W to 50W with CCT options of 3000K, 3500K, and 4000K, along with CRI choices of 80 or 90 for superior color rendering. Customizable with various dimming options (0-10V, DALI, Lutron, Casambi, Wi-Fi, or non-dimmable), it is available in multiple sizes, ensuring flexibility for different spaces. With an operating range of -4°F to 104°F and compatibility with 110-277V systems, DIVINA ROUND is a stylish and functional solution for contemporary environments.

MATERIAL:

Aluminum body + Polyester fiber (0.47")

FINISHING:

30 acoustic felt colors

BODY FINISHING:

Matt White / Matt Black / Custom on request*

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-4°F to 104°F

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS



CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-DIVR-P-PS-30K-80-MW-WD-DIM

CODE:

BY-DIVR-P-
PS-30K-80-MW-
WD-DIM

1

MODELS:

-PS (suspended)

DIMENSIONS:

A) Diameter - Ø: 14.17" (36 cm)
B) Height - H: 3.46" (8.8 cm)
Canopy - Ø: 10" (25 cm) x 2" (5 cm)

LIGHT SOURCE:

LED / 15W / 1275 lm / 110-277V

-PM (suspended)

DIMENSIONS:

A) Diameter - Ø: 17.72" (45 cm)
B) Height - H: 3.46" (8.8 cm)
Canopy - Ø: 10" (25 cm) x 2" (5 cm)

LIGHT SOURCE:

LED / 25W / 2125 lm / 110-277V

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-DIVR-P-PS-30K-80-MW-WD-DIM

CODE:

BY-DIVR-P-
PS-30K-80-MW-
WD-DIM

1

MODELS:

-PL (suspended)

DIMENSIONS:

A) Diameter - Ø: 23.62" (60 cm)
B) Height - H: 3.46" (8.8 cm)
Canopy - Ø: 10" (25 cm) x 2" (5 cm)

LIGHT SOURCE:

LED / 36W / 3060 lm / 110-277V



-PXL (suspended)

DIMENSIONS:

A) Diameter - Ø: 31.5" (80 cm)
B) Height - H: 3.46" (8.8 cm)
Canopy - Ø: 10" (25 cm) x 2" (5 cm)

LIGHT SOURCE:

LED / 50W / 4250 lm / 110-277V



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

Example:

CODE: BY-DIVR-P-PS-30K-80-MW-WD-DIM

CODE:

BY-DIVR-P-
PS-30K-80-MW-
WD-DIM

1

MODELS:

-CS (surface - mounted)

DIMENSIONS:

A) Diameter - Ø: 14.17" (36 cm)

B) Height - H: 4.53" (11.5 cm)

LIGHT SOURCE:

LED / 15W / 1275 lm / 110-277V

-CM (surface - mounted)



DIMENSIONS:

A) Diameter - Ø: 17.72" (45 cm)

B) Height - H: 4.53" (11.5 cm)

LIGHT SOURCE:

LED / 25W / 2125 lm / 110-277V



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com



www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-DIVR-P-PS-30K-80-MW-WD-DIM

CODE:

BY-DIVR-P-
PS-30K-80-MW-
WD-DIM

1

MODELS:

-CL (surface - mounted)

DIMENSIONS:

A) Diameter - Ø: 23.62" (60 cm)
B) Height - H: 4.53" (11.5 cm)

LIGHT SOURCE:

LED / 36W / 3060 lm / 110-277V

-CXL (surface - mounted)

DIMENSIONS:

A) Diameter - Ø: 31.5" (80 cm)
B) Height - H: 4.53" (11.5 cm)

LIGHT SOURCE:

LED / 50W / 4250 lm / 110-277V

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE:

Example:
CODE: BY-DIVR-P-PS-30K-80-MW-WD-DIM

BY-DIVR-P-
PS-30K-80-MW-
WD-DIM

2 SPECIFY CCT:

- K30 3000K
- K35 3500K
- K40 4000K

3 CRI:

- 80 CRI 80
- 90 CRI 90

4 INTERIOR FINISH OPTIONS:

- MW Matt White 
- MB Matt Black 
- WD Wood 
- RAL Custom on request* 

EXTERIOR FINISH OPTIONS:

- MW Matt White 
- MB Matt Black 
- WD Wood 
- RAL Custom on request* 

6 DIMMING OPTIONS:

- DIM 0-10V
- DALI DALI
- LT Lutron
- CS Casambi
- WF WI-FI
- NON Non-Dimmable

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:


Example:
CODE: BY-DIVR-P-PS-30K-80-MW-WD-DIM

CODE:


BY-DIVR-P-
PS-30K-80-MW-
WD-DIM

7 PHOTOMETRIC:

LIGHT DISTRIBUTION:



OPTICAL SYSTEM:



Beam Angle: 152.00°(50%Imax)

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646