



LAS FLORES  
beam up & down  
(acoustic lighting)

BB-LSFL-AC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

Las Flores – Beam Up & Down by BYIBA is a suspended acoustic luminaire designed for high-quality lighting and noise reduction. It features a durable aluminum housing with a 0.47-inch polyester fiber acoustic panel in 30 colors. LED options range from 15-50W with CCT choices of 3000K, 3500K, and 4000K, offering CRI 80/90. Available in various sizes, it supports multiple dimming options (0-10V, DALI, Lutron, Casambi, Wi-Fi). Operating at -4°F to 104°F and compatible with 110-277V systems, it enhances lighting and acoustic comfort.

MATERIAL:

Aluminum body + Polyester fiber (0.47")

FINISHING:

30 acoustic felt colors

BODY FINISHING:

Matt White / Matt Black / Custom on request\*

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-4°F to 104°F

CANOPY:

Ø: 5" (12.7 cm) x H: 5" (12.7 cm)

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com



www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



### HOW TO ORDER:

Example:

CODE: BY-LSFL-AC-PSUD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-  
PSUD-K30-80-  
MB-DALI-  
AC-004123

1

### MODELS:

-PSUD (beam up & down)



#### DIMENSIONS:

A) Diameter - Ø: 23.6" (60 cm)

B) Height - H: 6.4" (16.2 cm)

#### LIGHT SOURCE:

LED / 40W / 2800 lm (direct) / 110-277V

LED / 25W / 1750 lm (indirect) / 110-277V

-PMUD (beam up & down)



#### DIMENSIONS:

A) Diameter - Ø: 35.4" (90 cm)

B) Height - H: 8.8" (22.2 cm)

#### LIGHT SOURCE:

LED / 50W / 3500 lm (direct) / 110-277V

LED / 30W / 2100 lm (indirect) / 110-277V

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)




[www.byiba.com](http://www.byiba.com)

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



### HOW TO ORDER:

Example:

CODE: BY-LSFL-AC-PSUD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-  
PSUD-K30-80-  
MB-DALI-  
AC-004123

1

### MODELS:

-PLUD (beam up & down)



#### DIMENSIONS:

A) Diameter - Ø: 23.6" (60 cm)  
B) Height - H: 11.0" (27.7 cm)

#### LIGHT SOURCE:

LED / 80W / 5600 lm (direct) / 110-277V  
LED / 40W / 2800 lm (indirect) / 110-277V

-PXLUD (beam up & down)



#### DIMENSIONS:

A) Diameter - Ø: 35.4" (90 cm)  
B) Height - H: 13.1" (33.3 cm)

#### LIGHT SOURCE:

LED / 90W / 6300 lm (direct) / 110-277V  
LED / 45W / 3150 lm (indirect) / 110-277V

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



### HOW TO ORDER:

Example:  
CODE: BY-LSFL-AC-PSUD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-  
PSUD-K30-80-  
MB-DALI-  
AC-004123

### 2 SPECIFY CCT:

-K30 3000K  
-K35 3500K  
-K40 4000K

### 3 CRI:

-80 CRI 80  
-90 CRI 90

### 4 BODY FINISH OPTIONS:

-MW Matt White  
-MB Matt Black  
-RAL Custom on request\*

### 5 DIMMING OPTIONS:

-DIM 0-10V  
-DALI DALI  
-LT Lutron  
-CS Casambi  
-WF WI-FI  
-NON Non-Dimmable

### 6 ACOUSTIC FINISH OPTIONS:

-AC-001141	-AC-012133	-AC-028110
-AC-002122	-AC-013111	-AC-033103
-AC-003120	-AC-014144	-AC-034102
-AC-004123	-AC-016104	-AC-035101
-AC-005107	-AC-017147	-AC-036105
-AC-006106	-AC-019126	-AC-038127
-AC-007145	-AC-020128	-AC-040124
-AC-008129	-AC-021130	-AC-043115
-AC-009140	-AC-024117	-AC-044114
-AC-011135	-AC-025138	-AC-039143

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



LED

110-277V

Grounding symbol

Dimmable symbol

CASAMBI

LUTRON

Wireless signal icon

DAMP LOCATION

HOW TO ORDER:

Example:  
CODE: BY-LSFL-AC-PSUD-K30-80-MB-DALI-AC-004123


CODE:

BY-LSFL-AC-  
PSUD-K30-80-  
MB-DALI-  
AC-004123


7

PHOTOMETRIC:

LIGHT DISTRIBUTION:



OPTICAL SYSTEM:



WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com  
www.byiba.com  
1 877-964-4646