

CURVY (linear)

BY-CRY-ARC



PROJECT

SPEC TYPE

NOTES

GENERAL INFORMATION:

The CURVY (linear) is a sleek, curved LED lighting fixture designed for contemporary architectural applications. Constructed from aluminum and PC, it operates on a 110-277V input and features a CRI of 90 with an IP20 rating. Available in multiple radius lengths from 11.8" (30 cm) to 98.4" (250 cm), the fixture has a consistent body height of 2.95" (7.5 cm) and width of 1.97" (5 cm). The 12W LED light source offers color temperature options of 3000K, 3500K, or 4000K, and supports dimming via 0-10V, DALI, Lutron, Casambi, or Wi-Fi. Finishes include Silver, White, Black, or custom options upon request, making CURVY ideal for both functional and decorative use.

MATERIAL:

Aluminium + PC

LIGHTING:

IFD

INPUT VOLTAGE:

110-277V

IP RATING:

20

DRIVER POSITION:

Remote

CRI:

CRI 90

BODY FINISHING:

Silver

White

Black

Custom on request*























WWW.BULLARDCOLLECTION.COM

TECHNICAL OUTDOOR

DECORATIVE



CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646


WE WELCOME ALL CUSTOM ORDERS




PROJECT

SPEC TYPE

NOTES







HOW TO ORDER:

Example:

CODE: BY-CRY-ARC-RS1-K30-DIM-SL

CODE:

BY-CRY-ARC-RS1-K30-DIM-SL

1 BODY LENGTH:

-RS1 R: 11.8" (30 cm)
-RS2 R: 17.7" (45 cm)
-RS3 R: 23.6" (60 cm)

-RS4 R: 29.5" (75 cm)
-RS5 R: 39.4" (100 cm)
-RS6 R: 49.2" (125 cm)

-RS7 R: 59.0" (150 cm) -RS8 R: 78.7" (200 cm)

-RS9 R: 98.4" (250 cm)
-CUS R: Custom on request*

2 BODY HEIGHT & WIDTH:

A) H: 2.95" (7,5 cm) x B) W: 1,97" (5 cm)

4 CCT:

-K30 3000K -K35 3500K -K40 4000K

5 DIMMING OPTIONS:

-DIM 0-10V -DALI DALI -LT Lutron -CS Casambi -WF WI-FI

-NON Non-Dimmable

6 FINISH OPTIONS:

-SL Silver -WH White -BL Black

-CUS Custom on request*

WWW.BULLARDCOLLECTION.COM

<u>TECHNICAL</u>

<u>OUTDOOR</u>

<u>DECORATIVE</u>



CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646