





SKY ROUND (acoustic lighting)

BY-SKYR-AC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The SKY ROUND is a versatile acoustic lighting fixture that seamlessly blends high-performance illumination with sound-absorbing properties. Available in both pendant and surface-mounted options, it features a durable aluminum body with a 0.47" polyester fiber acoustic panel in 30 color choices. Designed for modern interiors, it offers LED light sources from 15W to 50W with CCT options of 3000K, 3500K, and 4000K, along with CRI choices of 80 or 90 for superior color rendering. Customizable with various dimming options (0-10V, DALI, Lutron, Casambi, Wi-Fi, or non-dimmable), it is available in multiple sizes, ensuring flexibility for different spaces.

MATERIAL:

Aluminum body + Polyester fiber (0.47")

FINISHING:

30 acoustic felt colors

BODY FINISHING:

Matt White / Matt Black / Custom on request*

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-4°F to 104°F

LIGHTING DISTRIBUTION:

160°

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-SKYR-AC-PS-30K-80-MW-DIM-AC-001141

CODE:

BY-SKYR-AC-
PS-30K-80-MW-
DIM-AC-001141

1

MODELS:

-PS (suspended)

DIMENSIONS:

- A) Diameter - Ø: 14.17" (36 cm)
- B) Height - H: 3.46" (8.8 cm)
- C) Canopy - Ø: 10" (25 cm) x 2" (5 cm)

LIGHT SOURCE:

LED / 15W / 1275 lm / 110-277V


-PM (suspended)

DIMENSIONS:

- A) Diameter - Ø: 17.72" (45 cm)
- B) Height - H: 3.46" (8.8 cm)
- C) Canopy - Ø: 10" (25 cm) x 2" (5 cm)

LIGHT SOURCE:

LED / 25W / 2125 lm / 110-277V



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-SKYR-AC-PS-30K-80-MW-DIM-AC-001141

CODE:

BY-SKYR-AC-
PS-30K-80-MW-
DIM-AC-001141

1

MODELS:

-PL (suspended)

DIMENSIONS:

- A) Diameter - Ø: 23.62" (60 cm)
- B) Height - H: 3.46" (8.8 cm)
- C) Canopy - Ø: 10" (25 cm) x 2" (5 cm)

LIGHT SOURCE:

LED / 36W / 3060 lm / 110-277V


-PXL (suspended)

DIMENSIONS:

- A) Diameter - Ø: 31.5" (80 cm)
- B) Height - H: 3.46" (8.8 cm)
- C) Canopy - Ø: 10" (25 cm) x 2" (5 cm)

LIGHT SOURCE:

LED / 50W / 4250 lm / 110-277V



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com



www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-SKYR-AC-PS-30K-80-MW-DIM-AC-001141

CODE:

BY-SKYR-AC-
PS-30K-80-MW-
DIM-AC-001141

1

MODELS:

-CS (surface - mounted)

DIMENSIONS:

A) Diameter - Ø: 14.17" (36 cm)

B) Height - H: 4.53" (11.5 cm)

LIGHT SOURCE:

LED / 15W / 1275 lm / 110-277V

-CM (surface - mounted)

DIMENSIONS:

A) Diameter - Ø: 17.72" (45 cm)

B) Height - H: 4.53" (11.5 cm)

LIGHT SOURCE:

LED / 25W / 2125 lm / 110-277V

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com



www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-SKYR-AC-PS-30K-80-MW-DIM-AC-001141

CODE:

BY-SKYR-AC-
PS-30K-80-MW-
DIM-AC-001141

1

MODELS:

-CL (surface - mounted)

DIMENSIONS:

A) Diameter - Ø: 23.62" (60 cm)

B) Height - H: 4.53" (11.5 cm)

LIGHT SOURCE:

LED / 36W / 3060 lm / 110-277V

-CXL (surface - mounted)

DIMENSIONS:

A) Diameter - Ø: 31.5" (80 cm)

B) Height - H: 4.53" (11.5 cm)

LIGHT SOURCE:

LED / 50W / 4250 lm / 110-277V

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com



www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-SKYR-AC-PS-30K-80-MW-DIM-AC-001141

CODE:

BY-SKYR-AC-
PS-30K-80-MW-
DIM-AC-001141

2 SPECIFY CCT:

-K30 3000K
-K35 3500K
-K40 4000K

3 CRI:

-80 CRI 80
-90 CRI 90

4 BODY FINISH OPTIONS:

-MW Matt White
-MB Matt Black
-RAL Custom on request*

5 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-WF WI-FI
-NON Non-Dimmable

6 ACOUSTIC FINISH OPTIONS:

-AC-001141	-AC-012133	-AC-028110
-AC-002122	-AC-013111	-AC-033103
-AC-003120	-AC-014144	-AC-034102
-AC-004123	-AC-016104	-AC-035101
-AC-005107	-AC-017147	-AC-036105
-AC-006106	-AC-019126	-AC-038127
-AC-007145	-AC-020128	-AC-040124
-AC-008129	-AC-021130	-AC-043115
-AC-009140	-AC-024117	-AC-044114
-AC-011135	-AC-025138	-AC-039143

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



LED

110-277V

Grounding symbol

Beam spread diagram

CASAMBI

LOUTRON

Waveform icon

DAMP LOCATION

HOW TO ORDER:


Example:
CODE: BY-SKYR-AC-PS-30K-80-MW-DIM-AC-001141

CODE:


BY-SKYR-AC-
PS-30K-80-MW-
DIM-AC-001141

7 PHOTOMETRIC:

LIGHT DISTRIBUTION:



OPTICAL SYSTEM:



WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646