

# UNDICI ROUND (ceiling/wall recessed)

BY-4248A-PC



**PROJECT** 

SPEC TYPE

**NOTES** 













CLUTRON









#### GENERAL INFORMATION:

The recessed ceiling/wall lights are high end functional elements, having excellent lighting performance and a refined design in every detail, to integrate perfectly in the environment. The products are Made in Italy in the company historic production plant and are made of CRISTALY®. Thanks to the simple and intuitive fixing system, and a variety of electrical options, these products are the perfect choice to complete all living areas.

We have achieved the impossible with the new mini LED lights in two versions with Ø: 0,62" and Ø: 0,43" holes.

- The 0.63" (1.6 cm) version, with an unrivalled hole diameter/lumen/ overall size ratio.

Packed with powerful technology: the installation only requires 1.18" (3 cm) of space.

### MATERIAL:

**CRISTALY®** 

### FINISHING:

White (paintable)

### LIGHTING:

LED

### **VOLTAGE:**

110-277V

## **DRIVER POSITION:**

Remote (not included)

### IP RATING:

IP 20 / IP44

# INSULATION CLASS

Ш

## WWW.BULLARDCOLLECTION.COM

**TECHNICAL** 

<u>OUTDOOR</u>

**DECORATIVE** 



**CONTACT US:** 

sales@gordonbullard.com www.byiba.com 1 877-964-4646


WE WELCOME ALL CUSTOM ORDERS



**PROJECT** 

SPEC TYPE

**NOTES** 

















CASAMBI

## **HOW TO ORDER:**

Example:

CODE: BY-4248A-PC-K27-DIM-IR2

## CODE:

BY-4248A-PC-K27-

DIM-IR2

# **DIMENSIONS:**

3.94" (10 cm) A) Height -H: B) Width -W: 3.94" (10 cm)

# LIGHT SOURCE:

LED / 2W / CRI 90 / 110-277V

# CCT and LUMENS:

-K27 2700K = 190 lm-K30 3000K = 200 Im-K40 4000K = 210 Im

# CCT and LUMENS:

-DIM 0-10V -DALI DALI -LT Lutron -CS Casambi -WF WI-FI -NON Non-Dimmable

# IP RATING:

-IR2 IP 20 -IR4 **IP 44** 



**TECHNICAL OUTDOOR DECORATIVE** 



**CONTACT US:** 

sales@gordonbullard.com www.byiba.com 1 877-964-4646