


ANACONDA
(pendant)

BY-TB-ARC

PROJECT

SPEC TYPE

NOTES



LED

IP54

48V



GENERAL INFORMATION:

ANACONDA by BYIBA is a highly flexible and modular pendant lighting system designed to bring creativity and movement to any space. Featuring a minimalist yet bold aesthetic, ANACONDA allows for endless configurations thanks to its wide range of accessories, connectors, and mounting options. Available in multiple elegant finishes and LED color temperatures (2700K, 3000K, 3500K), it seamlessly adapts to both residential and commercial environments. Whether used as a subtle design accent or a statement installation, ANACONDA delivers dynamic curves, clean lines, and customizable illumination with dimming options to create the perfect ambiance.

MATERIAL:

Silicone

LIGHTING:

LED

INPUT VOLTAGE:

48V

IP RATING:

IP54

DRIVER POSITION:

Remote

CRI:

CRI 90

TUBE FINISHING:

White

APPLIANCE CLASS:

III

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646


PROJECT

SPEC TYPE


NOTES



-L50



-L100



HOW TO ORDER:

CODE:

Example:
CODE: BY-ANCD-ARC-L50-DIM

BY-ANCD-
ARC-L50-DIM

1 MODELS:

-L50

DIMENSION:

A) Length - L: 196.98" (500 cm)
B) Tube Diameter: - Ø: 0.98" (2,5 cm)

LIGHT SOURCE:

LED | 62,5W | 48V | 3000K | 5000lm

-L100

DIMENSION:

A) Length - L: 393.70" (1000 cm)
B) Tube Diameter: - Ø: 0.98" (2,5 cm)

LIGHT SOURCE:

LED | 125W | 48V | 3000K | 10000lm

2 DIMMING OPTIONS:

-DIM 1-10V
-DL DALI
-LT Lutron
-CS Casambi
-WF WI-FI
-NON Non-Dimmable

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

HOW TO ORDER:

CODE:

Example:

CODE: 7530-WH-7532-WH-7531-WH

7530-

WH-7532-

WH-7531-WH

ACSESSORIES FOR INSTALLATION::

-7530

L-shaped starting element

-WH

White

☐

-BL

Black

☐

-YE

Yellow

☐

-OR

Orange

☐

-LB

Light Blue

☐

-7532

T-shaped starting element

-WH

White

☐

-BL

Black

☐

-YE

Yellow

☐

-OR

Orange

☐

-LB

Light Blue

☐

-7531

Starting element

-WH

White

☐

-BL

Black

☐

-YE

Yellow

☐

-OR

Orange

☐

-LB

Light Blue

☐

-7533

Displacement element

-WH

White

☐

-BL

Black

☐

-YE

Yellow

☐

-OR

Orange

☐

-LB

Light Blue

☐

-7540

Transparent methacrylate extruded tube

-AL1

L: 39.37" (100 cm)

-AL2

L: 78.74" (200 cm)

-AL3

L: 118.11" (300 cm)

PROJECT

SPEC TYPE

HOW TO ORDER:


Example:
CODE: 7534-7537-7536

CODE:

7534-7537-
7536


FIXING ACCESSORIES FOR INSTALLATION:

-7534 Suspension kit




1 Steel cable 6.56' (2 m)
1 Element for cable fixing
1 Suspension clip

-7537 End cap




Finishing - Clear

-7536 End cap




Finishing - Clear

-7535 Ceiling/wall
fixing clip



Finishing - Clear

-7538 Cable system
fixing clip



Finishing - Clear

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

HOW TO ORDER:

CODE:

Example:

CODE: 7504-7500-7508

7504-7500-7508

CONJUNCTIONS FOR INSTALLATION:

-7504




45° bend

-7500

90° bend

-7508

Linear tube

-WH

White

☐

-BL

Black

☐

-YE

Yellow

☐

-OR

Orange

☐

-LB

Light Blue

☐

-WH

White

☐

-BL

Black

☐

-YE

Yellow

☐

-OR

Orange

☐

-LB

Light Blue

☐

-WH

White

☐

-BL

Black

☐

-YE

Yellow

☐

-OR

Orange

☐

-LB





Light Blue

☐

PROJECT

SPEC TYPE

EXAMPLES OF INSTALLATIONS:



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646