



TRE&SESSANTA  
(pendant)

BY-TRSSPV-ARC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The TRE&SESSANTA pendant by BYIBA Light is a sleek, modern lighting fixture designed to elevate contemporary interiors with its minimalist form and high-performance functionality. Crafted from methacrylate and aluminum, it features a powerful 24V LED light source with a CRI of 90 for excellent color rendering. With an IP40 rating and remote driver position, it's ideal for indoor applications in both residential and commercial settings. Available in multiple lengths and finishes, the TRE&SESSANTA offers versatile dimming and control options, making it a refined solution for sophisticated lighting design.

MATERIAL:

Methacrylate + Aluminum

LIGHTING:

LED

INPUT VOLTAGE:

24V

IP RATING:

IP40

DRIVER POSITION:

Remote

CRI:

CRI 90

BODY FINISHING:

White

APPLIANCE CLASS:

III

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE:

Example:  
CODE: BY-TRSSPV-ARC-1662-DIM-WH

BY-TRSSPV-ARC  
-1662-DIM-WH

1 MODELS:

-1662

DIMENSION:

A) Height - H: 40.35" (102.5 cm)  
B) Diameter - Ø: 1.38" (3.5 cm)  
C) Canopy - Ø: 13.97" (5.50 cm)

LIGHT SOURCE:

LED | 3000K | 24V | 20W | 1920lm **2700K (on request)**

-1663

DIMENSION:

A) Height - H: 60.04" (152.5 cm)  
B) Diameter - Ø: 1.38" (3.5 cm)  
C) Canopy - Ø: 13.97" (5.50 cm)

LIGHT SOURCE:

LED | 30W | 3000K | 24V | 2880lm **2700K (on request)**

2 DIMMING OPTIONS:

-DIM 1-10V  
-DL DALI  
-LT Lutron  
-CS Casambi  
-WF WI-FI  
-NON Non-Dimmable

3 CUPS FINISH OPTIONS:

-WH White  
-BL Black  
-SA Satin Aluminium

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com  
[www.byiba.com](http://www.byiba.com)  
1 877-964-4646