


## UNDICI SQUARE (ceiling-mounted)

BY-4250A-PL

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The UNDICI SQUARE by BYIBA is a ceiling-recessed LED light fixture crafted from durable, paintable CRISTALY®. Featuring a compact ø11 mm opening, it delivers efficient lighting with options for 2700K, 3000K, or 4000K color temperatures, all with a high CRI of 90. This dimmable fixture is designed for seamless integration into modern interiors. Handmade in Italy, it exemplifies exceptional design and functionality.

MATERIAL:

CRISTALY® (Paintable)

FINISHING:

White

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

IP20/IP44

DRIVER POSITION:


Remote

INSULATION CLASS:

III

CRI:

CRI 90



[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)



[www.byiba.com](http://www.byiba.com)

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



### HOW TO ORDER:

Example:

CODE: BY-4250A-PL-K27-IP2-DIM

CODE:

BY-4250A-PL-  
LED-K27-IP2-  
DIM

### 1 DIMENSIONS:

A) Height - H: 3.94" (10 cm)

B) Length - L: 3.94" (10 cm)

C) Depth - P: 1.57" (4 cm)

### 2 LIGHT SOURCE:

LED / 2W / 110-277V

### 3 CCT and LUMENS:

-K27 2700K = 190lm

-K30 3000K = 200lm

-K40 4000K = 210lm

### 4 IP RATING:

-IR2 IP20

-IR4 IP44

### 5 DIMMING OPTIONS:

-DIM 0-10V


-DALI DALI

-LT Lutron

-CS Casambi

-WF WI-FI

-NON Non-Dimmable



[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.byiba.com](http://www.byiba.com)

1 877-964-4646