



NORMA
(pathmarkers)

BY-4205O-PL

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Norma is a recessed LED pathmarker designed to integrate discreetly into the wall, casting soft, ambient light that gently defines interior architecture. Crafted from our signature CRISTALY® material, its minimalist form brings quiet refinement to contemporary spaces. Ideal for hallways, staircases, and accent walls, the Norma delivers both safety and atmosphere—offering a lighting solution where subtle design and functional performance converge.

MATERIAL:

CRISTALY®

FINISHING:

White / Paintable

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

20

DRIVER POSITION:

Remote

APPLIANCE CLASS:

III

CRI:

CRI 90

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-4205O-PL-K27-DIM

CODE:

BY-4205O-PL-K27-DIM

1 DIMENSIONS:

- A) Length - L: 3.15" (8 cm)
- B) Height - H: 5.51" (14 cm)
- C) Depth - P: 1.22" (3.1 cm)

2 LIGHT SOURCE:

LED / 2W / 110-277V

3 CCT & LUMENS:

- K27 2700K = 190 lm
- K30 3000K = 200 lm
- K40 4000K = 210 lm

4 DIMMING OPTIONS:

- DIM 0-10V
- DALI DALI
- LT Lutron
- CS Casambi
- WF WI-FI
- NON Non-Dimmable

5 WEIGHT:

0.66 lb



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646