




SONALUX M (acoustic lighting)

BY-SNXM-AC

PROJECT

SPEC TYPE



GENERAL INFORMATION:

The Sonalux M by BYIBA is a modern acoustic pendant light that seamlessly blends lighting performance with sound absorption. Crafted from high-quality polyester and 0.42" thick acoustic felt, it enhances both ambiance and acoustic comfort in open spaces such as offices, hospitality venues, and public areas. Available in multiple sizes, light distributions, and a wide range of PET felt finishes, Sonalux M offers extensive customization with options for LED color temperature, CRI, cord color, and canopy finish.

MATERIAL:

Polyester body + Pet Felt (0.47")

FINISHING:

24 acoustic felt colors

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-4°F to 104°F

CRI:

80 / 90

LIGHTING DISTRIBUTION:

28° / 34° / 45° / 57° / 89°

CANOPY: (only for suspended models)

Ø: 5.5" (14 cm)

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

HOW TO ORDER:

Example:
CODE: BY-SNXM-AC-A1-L1-K30-C80-FL1-BK-WH-SLT


CODE:

BY-SNXM-AC-A1-
L1-K30-C80-FL1-
BK-WH-SLT

1

MODELS:


-C1



DIMENSIONS

Diameter - Ø: 8.35" (21.21 cm)
Height - H: 9.13" (23.19 cm)


-C2



DIMENSIONS

Diameter - Ø: 8.35" (21.21 cm)
Height - H: 12.13" (31.8 cm)


-C3



DIMENSIONS

Diameter - Ø: 8.35" (21.21 cm)
Height - H: 14.13" (35.89 cm)


-D1



DIMENSIONS

Diameter - Ø: 12.6" (32 cm)
Height - H: 11.13" (28.27 cm)


-D2



DIMENSIONS

Diameter - Ø: 12.6" (32 cm)
Height - H: 14.13" (35.89 cm)

-D3



DIMENSIONS

Diameter - Ø: 12.6" (32 cm)
Height - H: 17.13" (43.51 cm)

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE:

Example:
CODE: BY-SNXM-AC-A1-L1-K30-C80-FL1-BK-WH-SLT

BY-SNXM-AC-A1-
L1-K30-C80-FL1-
BK-WH-SLT

2 LIGHT SOURCE:

CODE:	Power		Lumens		Voltage
-L1	8	=	700 lm	=	110-277V
-L2	12	=	1000 lm	=	110-277V
-L3	17	=	1500 lm	=	110-277V
-L4	19	=	1700 lm	=	110-277V
-L5	24	=	2000 lm	=	110-277V

3 CCT:

-K27	2700K
-K30	3000K
-K35	3500K
-K40	4000K

4 CRI:

-C80	CRI 80
-C90	CRI 90

5 LIGHTING DISTRIBUTIONS:

-NFL	Narrow Flood (28°)
-FL1	Flood 1 (34°)
-FL2	Flood 2 (45°)
-WFL	Wide Flood (57°)

6 CANOPY FINISH OPTIONS::

-BK	Black	●
-WH	White	●
-PS	Silver	●

7 CORD FINISH OPTIONS::

-BK	Black	●
-WH	White	●
-GR	Grey	●

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS



CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-SNXM-AC-A1-L1-K30-C80-FL1-BK-WH-SLT

CODE:

BY-SNXM-AC-A1-L1-K30-C80-FL1-BK-WH-SLT

8 PET FINISH OPTIONS:

- | | | | | |
|------|-----------------|---|------|---------------|
| -PBK | Pure Black | ● | -DNB | Denim Blue |
| -CHG | Charcoal Grey | ● | -MNB | Midnight Blue |
| -SLT | Slate | ● | -DPP | Deep Purple |
| -SDG | Shadow Grey | ● | -DWT | Deep Water |
| -SLG | Silver Grey | ● | -SFM | Seafoam |
| -PIC | Pearl Ice | ● | -EMG | Emerald Green |
| -CWH | Classic White | ● | -BRD | Brick Red |
| -NTL | Natural Linen | ● | -CHR | Cherry Red |
| -HZW | Hazelwood | ● | -BRY | Berry |
| -CFB | Cornflower Blue | ● | -BLS | Bluch |
| -CRT | Carrot | ● | -CNM | Cinnamon |
| -PNA | Pineapple | ● | -LMS | Limestone |

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646