



AURA BIG (ceiling-mounted)


BY-8935M-PL



**PROJECT** 

SPEC TYPE

**NOTES** 

















## GENERAL INFORMATION:

The AURABIG is a premium, handcrafted recessed ceiling fixture from BYIBA. It blends minimalist design with high-performance lighting, offering multiple LED variants (6.5–13 W), tunable color temperatures, high CRI, and customization options—all within a robust CRISTALY® construction. Ideal for quality-conscious interior lighting projects.

#### MATERIAL:

**CRISTALY®** 

### FINISHING:

White / Paintable

### LIGHTING:

GU 10/LED

## **INPUT VOLTAGE:**

110-120V / 110-277V

### IP RATING:

**IP20** 

### **DRIVER POSITION:**

Remote

# **INSULATION CLASS:**

 $\parallel / \parallel \parallel$ 

#### **WEIGHT:**

6.39 lb

#### WWW.BULLARDCOLLECTION.COM

**TECHNICAL** 

<u>OUTDOOR</u>

**DECORATIVE** 



**CONTACT US:** 

sales@gordonbullard.com www.byiba.com 1 877-964-4646


WE WELCOME ALL CUSTOM ORDERS




**PROJECT** 

SPEC TYPE

**NOTES** 





## HOW TO ORDER:

Example:

CODE: BY-8935M-PL-L1-K27-DIM

#### CODE:

BY-8935M-PL-L1-K27-DIM

## 1 DIMENSIONS:

A) Length L: 12.01" (30.5 cm) B) Height - H: 12.01" (30.5 cm)

C) Depth - P: 2.95"/3.35" (7.5 cm/8.5 cm)

## 2 LIGHT SOURCE:

-GU GU 10 / max. 20W / 110-120V

-L1 LED / 6,5W / 110-277V / CRI 90 -L2 LED / 13W / 110-277V / CRI 90

### 3 CCT and LUMENS: (available only for LED models)

-K27 2700K = 800 lm -K30 3000K = 850 lm FOR L1 MODEL

**-K40** 4000K = 900 lm

-KK27 2700K = 1500 lm -KK30 3000K = 1600 lm FOR L2 MODEL

-KK40 4000K = 1700 lm

#### 4 DIMMING OPTIONS: (available only for LED models)

-DIM 0-10V -DALI DALI

-LT Lutron -CS Casambi -WF WI-FI

-NON Non-Dimmable

# 5 ACCESSORIES:



Housing Box 12.2" x 12.2" x 3.15" 13.39" x 13.39" x 3.54" - Hole

#### WWW.BULLARDCOLLECTION.COM

<u>TECHNICAL</u>

<u>OUTDOOR</u>

DECORATIVE



**CONTACT US:** 

sales@gordonbullard.com www.byiba.com 1 877-964-4646