

ELI
(down-lights)

BY-EL-DL

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The ELI downlight is a minimalist LED fixture designed for modern interiors requiring compact and focused lighting. Built from high-quality aluminum and offered in clean white or black finishes, it delivers precise illumination with selectable 15° or 24° beam angles. Operating at 24V with a remote driver setup, the ELI is suitable for both residential and commercial applications. Its IP22/IP44 rating ensures versatility for protected indoor or semi-outdoor use, while its sleek design blends effortlessly into ceilings and architectural features.

MATERIAL:

Aluminium

FINISHING:

White, Black

LIGHTING:

LED

INPUT VOLTAGE:

24V

BEAM ANGLE:

15° / 24°

IP RATING:

IP 20 / IP 44

OPERATING TEMPERATURE RANGE:

-10 to +45 C

APPLIANCE CLASS:

I

DRIVER POSITION:

Remote



WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS



CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



LED



IP20

IP44

CASAMBI

LUTRON

HOW TO ORDER:

CODE:

Example:

CODE: BY-EL-DL-B15-K30-P2-WH-DIM

BY-EL-DL-B15-
K30-P2-WH-
DIM

1 MODELS:

-21 Ø: 0.83" (2.1 cm) x H: 1.54" (3.9 cm)
-27 H: 2.68" (6.8 cm) x H: 1.54" (3.9 cm)

2 LIGHT SOURCE:

LED / 3W / 360 lm / CRI 90

3 BEAM ANGLE:

-B15 15°
-B24 24°

4 CCT:

-K30 3000K
-K40 4000K
-K60 6000K

5 IP RATING:

-P2 IP 20
-P4 IP 44

6 FINISH OPTIONS:

-WH White 
-BL Black 

7 DIMMING OPTIONS:

-DIM 0-10V
-DL DALI
-LUT Lutron
-CAS Casambi
-NON Non-Dimmable

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646