



FLORIS (pendant)

BY-FLR-PN



PROJECT

SPEC TYPE

NOTES























GENERAL INFORMATION:

The Bell S by BYIIBA is a sleek linear suspension light designed by Serge & Robert Cornelissen, ideal for both residential and commercial spaces. It provides soft, direct illumination through an opal diffuser and comes in various finishes and LED configurations. Made from durable aluminum and polycarbonate, the Bell S is both high-performing and visually refined, with optional dimming and easy installation.

MATERIAL:

Stainless steel AISI 316L, Extruded aluminum EN AW-6060 T5 high resistance to oxidation, Die-cast aluminum EN AB 44100 highly resistant to oxidation, Polycarbonate.

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

IP 44 / IP 20

LIGHTING DISTRIBUTIONS:

15° / 50°

OPTICS:

Reflector in anti-UV technopolymer with super pure aluminum metallization

DRIVER POSITION:

Integral

CRI:

90

OPERATING TEMPERATURE RANGE:

-4°F - 104°F

WWW.BULLARDCOLLECTION.COM

<u>TECHNICAL</u>

<u>OUTDOOR</u>

<u>DECORATIVE</u>




CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646



PROJECT

SPEC TYPE



HOW TO ORDER:

Example:

CODE: BY-FLR-PN-L1-IP2-B15-WH

CODE:

BY-FLR-PN-L1-IP2-B15-WH

1 DIMENSIONS::

A) Diameter - Ø: 1.54" (3,9 cm)
B) Height - H: 3.66" (9,3 cm)
C) Canopy - Ø: 5.5" (14 cm)

2 LIGHT SOURCES: select one of the available*

-L1 LED / 3W / 2700K / 370 lm / 500 mA

-L2 LED / 5,7 W / 2700K / 619 lm / 900 mA

-L3 LED / 3W / 3000K / 388 lm / 500 mA

-L4 LED / 5,7 W / 3000K / 650 lm / 900 mA

3 IP RATINGS:

-IP2 IP 20 -IP4 IP 44

4 BEAM ANGLE:

-B15 15° -B50 50°

5 FINISH OPTIONS:

-WH White (matt) -BL Black (matt) -AGM Anthracite grey matt -BR Bronze -AGT Antique grey matt -SM Sand matt -LGM Light grey matt -CM Corten matt -BM Blue matt -GM Green matt



WWW.BULLARDCOLLECTION.COM

IP 20

TECHNICAL
OUTDOOR
DECORATIVE



CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646





PROJECT

SPEC TYPE



HOW TO ORDER:

Example:

CODE: BY-FLR-PN-L1-IP2-B15-WH

CODE:

BY-FLR-PN-L1-IP2-B15-WH

6 DIMMING OPTIONS:

-CS Casambi

-WF WI-FI

-NON Non-Dimmable

-DIM 0-10V -DALI DALI -LT Lutron





















WWW.BULLARDCOLLECTION.COM





CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646