



FYLLO BIG (wall)

BY-2304-9010



**PROJECT** 

SPEC TYPE

**NOTES** 





















## **GENERAL INFORMATION:**

FYLLO BIG (wall): This is a large, asymmetrical, rectangularshaped wall light with a clean, modern design. The product code is BY-2304-9010. Its dimensions are listed as 11.81 inches in height, 15.75 inches in length, and 2.95 inches in depth. It's constructed from ceramic and features a white / dimmable finish. The lighting source is described as LED / RTS. The input voltage is 110-277V or 120V. It has an IP20 rating, meaning it is protected against solid objects greater than 12.5mm, but is not waterresistant. The product is also available with different finish options, including Brown Stone, Grey Stone, Black Stone, Corten, and Gold Leaf.

#### MATERIAL:

**CERAMICA** 

#### **FINISHING:**

White / Paintable

# LIGHTING:

LED / R7S

## **INPUT VOLTAGE:**

110-277V / 110-120V

## IP RATING:

20

## **DRIVER POSITION:**

Remote

## **APPLIANCE CLASS:**

Ш

# WWW.BULLARDCOLLECTION.COM

**TECHNICAL** <u>OUTDOOR</u>





CONTACT US:


sales@gordonbullard.com www.byiba.com 1 877-964-4646



**PROJECT** 

SPEC TYPE

**NOTES** 





## **HOW TO ORDER:**

Example:

CODE: BY-2304-9010-LED-K27-DIM-380

## CODE:

BY-2304-9010-LED-K27-DIM-380

# 1 DIMENSIONS:

A) Height - H: 11.81" (30 cm) B) Length - L: 15.75" (40 cm) C) Depth - P: 2.95" (7.5 cm)

# 2 LIGHT SOURCE:

**-LED** LED / 12W / 110-277V

-R7S-120 LED R7S / max. 80W / 110-120V -R7S-20 LED R7S / max. 20W / 110-120V

# 3 CCT & LUMENS: (available only for LED)

-K27 2700K = 1700 lm -K30 3000K = 1800 lm -K40 4000K = 1900 lm

# 4 DIMMING OPTIONS: (available only for LED)

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-WF WI-FI

# **-NON** Non-Dimmable

## 5 FINISH OPTIONS:

-380 Brown Stone
-382 Grey Stone
-382 Black Stone
-390 Corten
-391 Oxide
-670 Gold Leaf

-CUS Custom on request

WWW.BULLARDCOLLECTION.COM

<u>TECHNICAL</u>

<u>OUTDOOR</u>

<u>DECORATIVE</u>



**CONTACT US:** 

sales@gordonbullard.com www.byiba.com 1 877-964-4646