




DRUM MOON
(acoustic lighting)

BY-DRMB-AC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Drum Moon Acoustic Pendant is designed with multiple acoustic felt fins for superior sound absorption, making it ideal for large open spaces such as meeting rooms, airports, and hotels. Its drum shape is available in three diameter options (27.5", 39.4", and 51.2") and two height choices (12.24" and 24.24"), providing flexibility for high-ceiling installations with options for aircraft cable or stem suspension. Equipped with an LED light source, it offers CCT settings of 3000K, 3500K, or 4000K and a CRI of 80 or 90. The fixture comes in 35 acoustic felt colors, with dimming options including non-dimmable and 0-10V, ensuring adaptability across various environments.

MATERIAL:

Polyster fiber (0.47")

FINISHING:

35 acoustic felt colors
**(fixture body inside is always white)*

LIGHTING:

LED

LENS:

PC

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-20 to +40 C

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS



CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-DRM-AC-SP-S-H12-K30-80-DIM-AC-001141

CODE:

BY-DRM-AC-SP-S-H12-K30-80-DIM-AC-001141

1 INSTALLATIONS TYPE

-SP Central Suspended
-SM Direct Suspended
-SM Stem Mounted

2 MODELS:

-S

DIMENSIONS:

A) Diameter - Ø: 27.95" (71 cm)
B) Canopy - Ø: 10" (25 cm) x H: 1.8" (4.5 cm)

LIGHT SOURCE:

LED / 40W / 3400 lm / 110-277V

-M

DIMENSIONS:

A) Diameter - Ø: 39.37" (100 cm)
B) Canopy - Ø: 10" (25 cm) x H: 1.8" (4.5 cm)

LIGHT SOURCE:

LED / 90W / 7650 lm / 110-277V

-L

DIMENSIONS:

A) Diameter - Ø: 51.18" (130 cm)
B) Canopy - Ø: 13.8" (35 cm) x H: 1.8" (4.5 cm)

LIGHT SOURCE:

LED / 180W / 15,300 lm / 110-277V

3 SHAPE HEIGHT:

-H12 C) H: 12" (30 cm)
-H24 C) H: 24" (60 cm)

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-DRM-AC-SP-S-H12-K30-80-DIM-AC-001141

CODE:

BY-DRM-AC-SP-
S-H12-K30-80-
DIM-AC-001141

4 SPECIFY CCT:

-K30 3000K
-K35 3500K
-K40 4000K

5 CRI:

-80 CRI 80
-90 CRI 90

6 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-WF WI-FI
-NON Non-Dimmable

7 ACOUSTIC FINISH OPTIONS:

-AC-001141	●	-AC-025138	●
-AC-002122	●	-AC-028110	●
-AC-003120	●	-AC-033103	●
-AC-004123	●	-AC-034102	●
-AC-005107	●	-AC-035101	●
-AC-006106	●	-AC-036105	●
-AC-007145	●	-AC-038127	●
-AC-008129	●	-AC-040124	●
-AC-009140	●	-AC-043115	●
-AC-011135	●	-AC-044114	●
-AC-012133	●	-AC-039143	●
-AC-013111	●	-AC-019126	●
-AC-014144	●	-AC-020128	●
-AC-016104	●	-AC-021130	●
-AC-017147	●	-AC-024117	●

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



LED

110-277V

Grounding symbol

Beam spread diagram

CASAMBI

LOUTRON

Wireless signal icon

DAMP LOCATION

HOW TO ORDER:

Example:
CODE: BY-DRM-AC-SP-S-H12-K30-80-DIM-AC-001141


CODE:

BY-DRM-AC-SP-S-H12-K30-80-DIM-AC-001141


8

PHOTOMETRIC:

LIGHT DISTRIBUTION:



OPTICAL SYSTEM:



WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646