

FLOT (ceiling-mounted)

BY-8903E-9010



PROJECT

SPEC TYPE

NOTES





GENERAL INFORMATION:

The FLOT 8903E is a sleek, ultra-thin LED ceiling fixture from the FLOT collection—perfect for low-clearance spaces like entryways, wardrobes, or corridors, while also complementing larger interiors with its minimalist design. Made from durable, paint-ready CRISTALY®, it delivers uniform, direct light and is fully dimmable with a compatible driver (not included). Handmade in Italy, it combines Italian craftsmanship with functional elegance. Available versions: 2700 K $-475\,\mathrm{lm},\,3000\,\mathrm{K}-500\,\mathrm{lm},\,4000\,\mathrm{K}-525\,\mathrm{lm}.$ All versions feature a 6W integrated LED at 110-270 V, 50/60 Hz, with CRI 85 for natural, comfortable illumination. Its minimalist profile allows easy integration into any interior, and the paintable surface enables customization to match your décor.

MATERIAL:

CRISTALY®

FINISHING:

White / Paintable

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

IP 20

INSULATION CLASS:

Ш

DRIVER POSITION:

Integral

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646


WE WELCOME ALL CUSTOM ORDERS



PROJECT

SPEC TYPE

NOTES





Example:

CODE: BY-8903E-9010-K27-DIM

CODE:

BY-8903E-901 0-K27-DIM

DIMENSIONS:

A) Width -W: 5,91" (15 cm) B) Length -L: 5,91" (15 cm) C) Height -H: 1,97" (5 cm)

LIGHT SOURCE:

LED / max. 6W / 110-277V / CRI 85

CCT & LUMENS:

2700K = 475 lm-K27 -K30 3000K = 500 lm-K40 4000K = 525 lm

DIMMING OPTIONS:

-DIM 0-10V -DALI DALI -LT Lutron -CS Casambi -NON Non-Dimmable

























TECHNICAL OUTDOOR DECORATIVE



CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646