



AGO (pathmarkers)

BY-4100F-PL



PROJECT

SPEC TYPE

NOTES























GENERAL INFORMATION:

The AGO by BYIBA is a sleek recessed step light crafted from CRISTALY®, featuring a slim, elongated light slot that delivers soft, indirect illumination. Perfect for hallways and staircases, it is designed for drywall installation and can be customized with paint to match any décor. Powered at 110–277V with a 2W LED (dimmable with appropriate driver, not included), it's available in 2700K, 3000K, and 4000K color temperatures. Rated IP20 for indoor use, AGO offers elegant lighting with a minimalist touch.

MATERIAL:

CRISTALY®

FINISHING:

White / Paintable

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

20

DRIVER POSITION:

Remote

APPLIANCE CLASS:

Ш

CRI:

CRI 90

WWW.BULLARDCOLLECTION.COM

<u>TECHNICAL</u>

<u>OUTDOOR</u>

DECORATIVE



CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646


WE WELCOME ALL CUSTOM ORDERS




PROJECT

SPEC TYPE

NOTES





Example:

CODE: BY-4100F-PL-K27-DIM

CODE:

BY-4100F-PL-K27-DIM

DIMENSIONS:

A) Length - L: 3.58" (9.1 cm) B) Height - H: 11.1" (28.3 cm) C) Depth - P: 2.76" (7 cm)

LIGHT SOURCE:

LED / 2W / 110-277V

CCT & LUMENS:

2700K = 190 Im-K27 -K30 3000K = 200 Im-K40 4000K = 210 Im

DIMMING OPTIONS:

-DIM 0-10V -DALI DALI -LT Lutron -CS Casambi -WF WI-FI

-NON Non-Dimmable

WEIGHT:

1.984 lb

6 **ACCESSORIES:**



Housing Box 3.74" × 11.22" × 2.56" 4.92" × 12.4" × 2.95" - Hole

























WWW.BULLARDCOLLECTION.COM

TECHNICAL OUTDOOR





CONTACT US:

sales@gordonbullard.com www.byiba.com 1 877-964-4646