



FENG BIG

INSTALLATION TYPE:
CEILING - MOUNTED



			025.494 ^(REV.03) MADE IN ITALY	4113 4114 4118 4122
C.C. [m.A.]	LED 30W 700mA 88W 2x1050 mA		IP20 / IP44	

NO!

1

* Art.	
4113	ø17.72"
4114	ø18.70"
4118	ø30.12"
4122	ø30.71"

2a

MEASURE WITH DRIVER IN REMOTE BOX

* Art.	
4113	4.92"
4118	5.51"

* Art.	
4114	1.57"
4122	1.97"

2b

MEASURE WITH DRIVER IN THE COUNTERCEILING

* Art.	
4113	6.10"
4118	6.69"

* Art.	
4114	2.76"
4122	3.15"

3

4

Terminal block is not included. For the installation qualified personnel may be required. (we recommend MAMMUT/FORBOX 0.00233in²)

5

6

7

8

9

10

FOR 4118/4122



IMPORTANT

To ensure equipment safety you must carefully follow the instructions below. This leaflet must be kept handy by personnel entrusted with all ordinary and extraordinary maintenance.

- Before any installation or maintenance operation on the bulb, make sure it is disconnected from power
- Fit the correct bulbs, according to the type and power indicated on the lamp data label.
- Make sure the lamp technical features are compatible with the use you are going to make of it.
- Should you have any doubt, refer to the dealer or ask an electrician.
- When connecting to the mains, follow the correct colour code for power cables: (N) blue, (L) brown or black and, only for class I equipment, (T) yellow/green.
- When lamps are to be fitted to the wall directly through their ceramic parts, fasten the fixing screws lightly, to avoid breaking the ceramic.
- To clean the lamp on the outside, use a soft cloth, possibly wet. Do not use solvents or abrasive products. No liquid must get in contact with the lamp interior parts.
- Do not touch the equipment with dirty hands.



= Class I equipment, must be connected to an earth terminal.



= Double insulated lamp, does not need earthing.



= Electrical equipment in class III, electrical safety guaranteed by low voltage tension, does not require grounding



= Minimum distance to be observed from all lit up objects.



= Replace immediately the safety glass, if damaged, with the original part.



= The lamp uses low pressure bulbs, and needs no protection glass.



= The equipment at the end of its life must be collected separately from other waste.