







# FLAT

INSTALLATION TYPE:  
CEILING - MOUNTED



|                                                                                   |    |          |                                                                                   |                                                                                                                          |                                                                                   |       |                          |       |
|-----------------------------------------------------------------------------------|----|----------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------|--------------------------|-------|
|  | x2 | <b>A</b> |  | <div>LED</div> <div>6W 500mA      4x4W 350mA</div> <div>2x6W 500mA    11W 900mA</div> <div>3x6W 500mA    16W 700mA</div> |  | IP 20 | 025.365 <sub>(REV)</sub> | 8903A |
|  | x2 | <b>B</b> |                                                                                   |                                                                                                                          |                                                                                   |       | MADE IN ITALY            | 8903B |
|  | x2 | <b>C</b> |                                                                                   |                                                                                                                          |                                                                                   |       | <b>C.C.</b><br>[m.A.]    | 8903C |
|                                                                                   |    |          |                                                                                   |                                                                                                                          |                                                                                   |       |                          | 8904A |
|                                                                                   |    |          |                                                                                   |                                                                                                                          |                                                                                   |       |                          | 8906A |
|                                                                                   |    |          |                                                                                   |                                                                                                                          |                                                                                   |       |                          | 8914Q |
|                                                                                   |    |          |                                                                                   |                                                                                                                          |                                                                                   |       |                          | 8916  |





## IMPORTANT

To ensure equipment safety you must carefully follow the instructions below. This leaflet must be kept handy by personnel entrusted with all ordinary and extraordinary maintenance.

- Before any installation or maintenance operation on the bulb, make sure it is disconnected from power
- Fit the correct bulbs, according to the type and power indicated on the lamp data label.
- Make sure the lamp technical features are compatible with the use you are going to make of it.
- Should you have any doubt, refer to the dealer or ask an electrician.
- When connecting to the mains, follow the correct colour code for power cables: (N) blue, (L) brown or black and, only for class I equipment, (T) yellow/green.
- When lamps are to be fitted to the wall directly through their ceramic parts, fasten the fixing screws lightly, to avoid breaking the ceramic.
- To clean the lamp on the outside, use a soft cloth, possibly wet. Do not use solvents or abrasive products. No liquid must get in contact with the lamp interior parts.
- Do not touch the equipment with dirty hands.



= Class I equipment, must be connected to an earth terminal.



= Double insulated lamp, does not need earthing.



= Electrical equipment in class III, electrical safety guaranteed by low voltage tension, does not require grounding



= Minimum distance to be observed from all lit up objects.



= Replace immediately the safety glass, if damaged, with the original part.



= The lamp uses low pressure bulbs, and needs no protection glass.



= The equipment at the end of its life must be collected separately from other waste.