


**BYIBA**  
L I G H T




**MIKA PLUS**  
(pathmarkers)

BY-4195A-PL

PROJECT

SPEC TYPE

NOTES



**GENERAL INFORMATION:**

Enhance your space with the MIKA PLUS, a sleek and sophisticated wall light that combines contemporary design with functional lighting. Featuring an elegant, minimalist shape, this fixture casts a soft, ambient glow perfect for creating atmosphere in any room. Crafted from CRISTALY®, a sustainable material exclusive to BYIBA, the MIKA PLUS is both lightweight and durable. Ideal for residential or commercial use, the MIKA PLUS is perfect for hallways, living areas, or modern office spaces. Its refined design and eco-friendly construction make it a stylish and responsible lighting choice.

**MATERIAL:**

CRISTALY®

**FINISHING:**

White / Paintable

**LIGHTING:**

LED

**INPUT VOLTAGE:**

110-277V

**IP RATING:**

IP 20/44

**DRIVER POSITION:**

Remote

**APPLIANCE CLASS:**

III

**CRI:**

CRI 85

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com  
[www.byiba.com](http://www.byiba.com)  
1 877-964-4646

PROJECT

SPEC TYPE

NOTES

### HOW TO ORDER:

CODE:

Example:  
CODE: BY-4195A-PL-K27-DIM-IR2

BY-4195A-PL-  
K27-DIM-IR2

### 1 DIMENSIONS:

- A) Length - L: 8.07" (20.5 cm)
- B) Height - H: 10.04" (25.5 cm)
- C) Depth - P: 1.77" (4.5 cm)

### 2 LIGHT SOURCE:

LED / 1.1W / 110-277V

### 3 CCT & LUMENS:

- K27 2700K = 95 lm
- K30 3000K = 100 lm
- K40 4000K = 106 lm

### 4 DIMMING OPTIONS:

- DIM 0-10V
- DALI DALI
- LT Lutron
- CS Casambi
- WF WI-FI
- NON Non-Dimmable

### 5 IP RATING:

- IR2 IP 20
- IR4 IP 44


### 6 WEIGHT:

3.97 lb

### 7 ACCESSORIES:



Housing Box  
8.27" x 10.24" x 3.54"  
9.45" x 11.42" x 3.94" - Hole



[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com  
[www.byiba.com](http://www.byiba.com)  
1 877-964-4646