



AIRWAY (track)

BY-ARW-TC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The AIRWAY Non-Magnetic Track system includes 1-Circuit and 3-Circuit track profiles, offered in three lengths: 39.4" (100 cm), 78.7" (200 cm), and 118" (300 cm). Operating at 110-277V, the tracks are available in white or black finishes, crafted from aluminum with an electrostatic powder coating.

The system comes with two spotlight models: Ø 3.93" (10 cm) x H 3.97" (10.1 cm) and Ø 5" (12.7 cm) x H 3.97" (12.8 cm). These spotlights offer wattage options of 20W or 27W, with lens reflectors. Available in CCT options of 3000K and 4000K, they come with CRI choices of 80 or 90. The spotlights are available in white, black, or gray finishes.

MATERIAL:

AL, Electrostatic Powder Coating

FINISHING:

White, Black, Gray

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-20 to +40 C



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS




CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE FOR TRACK: BY-ARW-TC-1-01-BL

CODE FOR TRACK HEAD: 65360-K30-C80-B1-WL

CODE FOR ACCESSORIES: 105-WH / 305-BL

CODE:

BY-ARW-TC-1-01-BL

1 CHOOSE TRACK MODEL:

1-Circuit Track Profile




-1-01 L: 39.4" (100 cm)

-1-02 L: 78.7" (200 cm)

-1-03 L: 118" (300 cm)

3-Circuit Track Profile



-2-01 L: 39.4" (100 cm)

-2-02 L: 78.7" (200 cm)

-2-03 L: 118" (300 cm)

2 FINISH OPTION TRACK PROFILE:

-BL Black
-WH White

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com



www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE FOR TRACK: BY-ARW-TC-1-01-BL

CODE FOR TRACK HEAD: 65360-K30-C80-B1-WL

CODE FOR ACCESSORIES: 105-WH / 305-BL

CODE:

65360-K30-
C80-B1-WL

3

CHOOSE TRACK HEAD:

GENERAL INFORMATION

CODE - **-65360**

Dimensions: Ø: 3.93" (10 cm) x H: 3.97" (10.1 cm)

Housing: AL. Die-Casting, Electrostatic Powder Coating

Reflector: Lens

Light Source: LED (COB)

Power & Currents: 20W / 500 mA

CCT: **-K30** - 3000K

-K40 - 4000K

CRI: **-C80** - 80

-C90 - 90

Beam Angle & lumens: **-B1** - 24.5° = 1844 lm

-B2 - 30.5° = 2169 lm

-B3 - 46.3° = 2212 lm

Finish Options: **-WL** - White

-BL - Black

-GR - Gray


Operating temperature range - -20 to +40°C

Maintenance of lumen - L80 - 50 000 hours at 25 °C


PHOTOMETRICS:




Medium



Wide



Wide



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com



www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



LED

110-277V



IP20



90°



HOW TO ORDER:

Example:

CODE FOR TRACK: BY-ARW-TC-1-01-BL

CODE FOR TRACK HEAD: 65360-K30-C80-B1-WL

CODE FOR ACCESSORIES: 105-WH / 305-BL

CODE:

65360-K30-C80-B1-WL

3

CHOOSE TRACK HEAD:

GENERAL INFORMATION

CODE -

-65361

Dimensions:

Ø: 5" (12.7 cm) x H: 3.97" (12.8 cm)

Housing:

AL. Die-Casting, Electrostatic Powder Coating

Reflector:

Lens

Light Source:

LED (COB)

Power & Currents:

27W / 700 mA

CCT:

-K30 - 3000K

-K40 - 4000K

CRI:

-C80 - 80

-C90 - 90

Beam Angle &

lumens:

-B1 - 20° = 2993 lm

-B2 - 30.7° = 3086 lm

-B3 - 50.9° = 3119 lm

Finish Options:

-WL - White


-BL - Black

-GR - Gray

Operating temperature range - -20 to +40°C

Maintenance of lumen - L80 - 50 000 hours at 25 °C

PHOTOMETRICS:



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:


sales@gordonbullard.com

www.byiba.com


1 877-964-4646

ACCESSORIES FOR 1 CIRCUIT TRACK:


-105
Feed-in Cap
-BL - Black
-WH - White




-106
End Cap
-BL - Black
-WH - White




-107
Straight Connector
-BL - Black
-WH - White




-108
L Connector
-BL - Black
-WH - White



-110
T Connector
-BL - Black
-WH - White



-111
X Connector
-BL - Black
-WH - White



-153
Adapter
-BL - Black
-WH - White



HOW TO ORDER:

Example:
CODE: 105-WH

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE




WE WELCOME ALL CUSTOM ORDERS

CONTACT US:


sales@gordonbullard.com
www.byiba.com
1 877-964-4646

ACCESSORIES FOR 3CIRCUIT TRACK:


-305
Feed-in Cap
-BL - Black
-WH - White




-306
End Cap
-BL - Black
-WH - White




-307
Straight Connector
-BL - Black
-WH - White




-308
L Connector
-BL - Black
-WH - White




-310
T Connector
-BL - Black
-WH - White



-311
X Connector
-BL - Black
-WH - White



-351
Adapter
-BL - Black
-WH - White



HOW TO ORDER:

Example:
CODE: -305-BL

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646