



BLACK TIE  
(track)

BY-BLT-TC

PROJECT

SPEC TYPE

NOTES

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE

## GENERAL INFORMATION:

The Black Tie Non-Magnetic Track system features 1-Circuit and 3-Circuit profiles available in three lengths: 39.4" (100 cm), 78.7" (200 cm), and 118" (300 cm). Operating on 110-277V, the track comes in white or black finishes, crafted from aluminum with electrostatic powder coating for durability.

Included is a spotlight model measuring Ø 3.85" (10 cm) x W 5.9" (15 cm), with a 20W LED light source. It offers CCT options of 3000K or 4000K, CRI choices of 80 or 90, and is available in white, black, or gray finishes, providing versatile lighting solutions for indoor spaces.

## MATERIAL:

AL, Electrostatic Powder Coating

## FINISHING:

White, Black, Gray

## LIGHTING:

LED

## VOLTAGE:

110-277V

## IP RATING:

20

## OPERATING TEMPERATURE RANGE:

-20 to +40 C



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:




[sales@gordonbullard.com](mailto:sales@gordonbullard.com)[www.byiba.com](http://www.byiba.com)

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE

### HOW TO ORDER:

Example:

CODE FOR TRACK: BY-BLT-TC-1-01-BL

CODE FOR TRACK HEAD: 63732-K30-C80-B1-WL

CODE FOR ACCESSORIES: 105-WH / 305-BL

CODE:

BY-BLT-TC-1-01-BL

### 1 CHOOSE TRACK MODEL:

#### 1-Circuit Track Profile



-1-01 L: 39.4" (100 cm)

-1-02 L: 78.7" (200 cm)

-1-03 L: 118" (300 cm)

#### 3-Circuit Track Profile



-2-01 L: 39.4" (100 cm)

-2-02 L: 78.7" (200 cm)

-2-03 L: 118" (300 cm)

### 2 FINISH OPTION TRACK PROFILE:

-BL Black  
-WH White



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)


[www.byiba.com](http://www.byiba.com)

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



## HOW TO ORDER:

Example:

CODE FOR TRACK: BY-BLT-TC-1-01-BL

CODE FOR TRACK HEAD: 63732-K30-C80-B1-WL

CODE FOR ACCESSORIES: 105-WH / 305-BL

CODE:

63732-K30-C80-B1-WL

## 1 CHOOSE TRACK HEAD:

## GENERAL INFORMATION

CODE - **-63732**

Dimensions: Ø: 3.85" (10 cm) x W: 5.9" (15 cm)

Housing: AL. Extrude, Electrostatic Powder Coating

Reflector: PC (Vacuum Coating)

Gear Box: AL. Die-Casting, Electrostatic Powder Coating

Light Source: LED (COB)

Power: 20W




Output Current 500 mA

CCT: **-K30** - 3000K**-K40** - 4000KCRI: **-C80** - 80**-C90** - 90Beam Angle and lumens: **-B1** - 17.7° = 2277 lm**-B2** - 25.5° = 2244 lm**-B3** - 38.9° = 2284 lmFinish options: **-WL** - White**-BL** - Black **-GR** - Gray 

Operating temperature range -20 to +40°C

Maintenance of lumen - L80 - 50 000 hours at 25 °C

## PHOTOMETRICS:

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)[www.byiba.com](http://www.byiba.com)



1 877-964-4646

## ACCESSORIES FOR 1 CIRCUIT TRACK:


-105  
**Feed-in Cap**  
- BL - Black  
- WH - White



-111  
**X Connector**  
- BL - Black  
- WH - White




-106  
**End Cap**  
- BL - Black  
- WH - White




-153  
**Adapter**  
- BL - Black  
- WH - White




-107  
**Straight Connector**  
- BL - Black  
- WH - White



-108  
**L Connector**  
- BL - Black  
- WH - White



-110  
**T Connector**  
- BL - Black  
- WH - White



## HOW TO ORDER:

Example:  
CODE: 105-WH

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE




CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
1 877-964-4646


WE WELCOME ALL CUSTOM ORDERS

## ACCESSORIES FOR 3CIRCUIT TRACK:


-305  
**Feed-in Cap**  
- BL - Black  
- WH - White




-311  
**X Connector**  
- BL - Black  
- WH - White





-306  
**End Cap**  
- BL - Black  
- WH - White




-307  
**Straight Connector**  
- BL - Black  
- WH - White





-308  
**L Connector**  
- BL - Black  
- WH - White



-310  
**T Connector**  
- BL - Black  
- WH - White



-351  
**Adapter**  
- BL - Black  
- WH - White



## HOW TO ORDER:

Example:  
CODE: -305-BL

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.byiba.com](http://www.byiba.com)  
1 877-964-4646

WE WELCOME ALL CUSTOM ORDERS