

KERLA
(wall)

BY-2426A-9010

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Kerla is a refined wall-mounted lighting fixture, handmade in Italy and designed to combine elegance, sustainability, and functionality. Crafted with a durable ALUMITE® profile and a sophisticated KERLITE® front panel, it delivers a soft, indirect glow through an opaline methacrylate diffuser, creating warm and ambient illumination in any space. Available in three lengths (39.37", 78.74" , and 118"), the Kerla can be customized to fit individual design needs through tailored cuts and configurations. Offered in timeless finishes of white, grey, or black, it mounts easily with its included bracket and ensures versatility with dimmable functionality when paired with a compatible driver. Ideal for enhancing interiors with minimalist Italian design, the Kerla combines aesthetic excellence with technical precision, making it a premium choice for contemporary architectural lighting.

MATERIAL:

KERLITE®, ALUMITE®

FINISHING:

White / Paintable

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

20

DRIVER POSITION:

Remote

APPLIANCE CLASS:

II

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-2426-9010-L1-DIM-371

CODE:

BY-2426-9010-
L1-DIM-371

1 DIMENSIONS:

-L1 L: 39.37" (100 cm) x H: 5.91" (15 cm) x 2" (5 cm)
-L2 L: 78.74" (200 cm) x H: 5.91" (15 cm) x 2" (5 cm)
-L3 L: 118" (300 cm) x H: 5.91" (15 cm) x 2" (5 cm)

2 LIGHT SOURCE:

LED / max. 2 x 26W / 110-277V

3 DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-NON Non-Dimmable

4 FINISH OPTIONS:

-371 White
-372 Grey
-373 Black

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

WWW.BULLARDCOLLECTION.COM



WE WELCOME ALL CUSTOM ORDERS