



QUEEN
(pendant)

BY-QN-PN

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Queen Pendant by BYIBA embodies regal elegance and superior craftsmanship. Featuring a captivating design with its graceful form and luxurious materials, the Queen Pendant creates a striking presence in any room. Its sophisticated silhouette casts a refined glow, transforming both residential and commercial spaces with timeless charm. Whether suspended alone or in a grouping, the Queen Pendant offers versatile illumination that enhances diverse interior styles, bringing an air of luxury and refinement to any environment.

MATERIAL:

Spun aluminum

LIGHTING:

LED / E26

INPUT VOLTAGE:

110-277V

IP RATING:

40

BEAM ANGLE:

78° (Available only for LED versions)

120° (Available only for E26 version)

DRIVER POSITION:

Integral (Available only for LED versions)

CRI:

90

OPERATING TEMPERATURE RANGE:

-4°F - 104°F

CORD LENGTH:

110.24" (280 cm)

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:


sales@gordonbullard.com

www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE



HOW TO ORDER:

Example:
CODE: BY-QN-PN-1S-L1-WH-CS

CODE:

BY-QN-PN-1S-L1-WH-CS

1 MODEL:

CODE: -1S

DIMENSIONS:

- A) Diameter - Ø: 12.2" (31 cm)
B) Height - H: 13.6" (34,5 cm)
C) Canopy - Ø: 5.5" (14 cm)

2 LIGHT SOURCES: select one of the available*

- L1 LED / 16.5 W / 3000K / 2410 lm / 500 mA
- L2 LED / 23.7 W / 3000K / 3306 lm / 700 mA
- L3 LED / 31.3 W / 3000K / 4166 lm / 900 mA
- L4 LED / 16.5 W / 4000K / 2592 lm / 500 mA
- L5 LED / 23.7 W / 4000K / 3555 lm / 700 mA
- L6 LED / 31.3 W / 4000K / 4479 lm / 900 mA
- E1 E26 / max. 30W /

3 FINISH OPTIONS:

- | | |
|-----------------------------|-------------------|
| -WH White (matt) | -CM Corten (matt) |
| -BL Black (matt) | -BM Blue (matt) |
| -AGM Anthracite grey (matt) | -GM Green (matt) |
| -BZ Bronze | -WG White & Gold |
| -AGT Antique grey (matt) | -BR Black & Red |
| -SM Sand (matt) | -BG Black & Gold |
| -LGM Light grey (matt) | -WR White & Red |

4 DIMMING OPTIONS:

- | | |
|-------------------|------------|
| -CS Casambi | -DIM 0-10V |
| -WF WI-FI | -DALI DALI |
| -NON Non-Dimmable | -LT Lutron |

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE




WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

PROJECT

SPEC TYPE



HOW TO ORDER:

Example:

CODE: BY-QN-PN-1S-L1-WH-CS

CODE:

BY-QN-PN-1S-L1-WH-CS

1 MODEL:

CODE: -2S

DIMENSIONS:

- A) Diameter - Ø: 18.1" (46 cm)
 B) Height - H: 22.4" (57 cm)
 C) Canopy - Ø: 5.5" (14 cm)

2 LIGHT SOURCES: select one of the available*

- L7 LED / 37.1 W / 3000K / 4788 lm / 1050 mA
 -L8 LED / 51.4 W / 3000K / 6173 lm / 1400 mA
 -L9 LED / 37.1 W / 4000K / 5149 lm / 1050 mA
 -L10 LED / 16.5 W / 4000K / 6639 lm / 1400 mA
 -E2 E26 / max. 30W /

4 FINISH OPTIONS:

- | | |
|-----------------------------|-------------------|
| -WH White (matt) | -CM Corten (matt) |
| -BL Black (matt) | -BM Blue (matt) |
| -AGM Anthracite grey (matt) | -GM Green (matt) |
| -BZ Bronze | -WG White & Gold |
| -AGT Antique grey (matt) | -BR Black & Red |
| -SM Sand (matt) | -BG Black & Gold |
| -LGM Light grey (matt) | -WR White & Red |

4 DIMMING OPTIONS: only for LED models

- | | |
|-------------------|------------|
| -CS Casambi | -DIM 0-10V |
| -WF WI-FI | -DALI DALI |
| -NON Non-Dimmable | -LT Lutron |

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646