

TWINKLE COLLECTION (track)

BY-TWC-TC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Twinkle Non-Magnetic Track Collection features 1-Circuit and 3-Circuit surface-mounted track profiles in three lengths—39.4" (100 cm), 78.7" (200 cm), and 118" (300 cm)—with a voltage of 110-277V. Available in White or Black, the aluminum profiles are coated with electrostatic powder.

The collection includes three spotlight models:

Ø 2.56" x H 6"

Ø 2.56" x H 9.21"

Ø 3.27" x H 6.5"

The spotlights, also made from durable aluminum with an electrostatic powder coating, come with CCT options of 3000K, 4000K, and 5000K, and CRI ratings of 80 or 90 for optimal color rendering. Available in White or Black finishes, the Twinkle Non-Magnetic Track Collection offers a refined and customizable solution for indoor lighting.

MATERIAL:

AL, Electrostatic Powder Coating

FINISHING:

White, Black

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-20 to +40 C



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com




www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE:

Example:

CODE FOR TRACK: BY-TWC-TC-1-01-BL

CODE FOR TRACK HEAD: 65070-01-K30-C80-B1-WL

CODE FOR ACCESSORIES: 105-WH / 305-BL

BY-TWC-TC-1-01-BL

1 CHOOSE TRACK MODEL:

1-Circuit Track Profile




-1-01 L: 39.4" (100 cm)

-1-02 L: 78.7" (200 cm)

-1-03 L: 118" (300 cm)

3-Circuit Track Profile



-2-01 L: 39.4" (100 cm)

-2-02 L: 78.7" (200 cm)

-2-03 L: 118" (300 cm)

2 FINISH OPTION TRACK PROFILE:

-BL Black
-WH White

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE:

Example:

CODE FOR TRACK: BY-TWC-TC-1-01-BL

CODE FOR TRACK HEAD: 65070-01-K30-C80-B1-WL

CODE FOR ACCESSORIES: 105-WH / 305-BL

65560-01-K30-C80-WL

1

CHOOSE TRACK HEAD:

GENERAL INFORMATION

CODE - **-65070-01**

Dimensions: Ø: 2.56" (6.5 cm) x H: 6" (15 cm)

Housing: AL Extrude, Electrostatic Powder Coating

Reflector: PC (Vacuum Coating)

Light Source: LED (COB)

Power: 14W

Output Current 350 mA

CCT: **-K30** - 3000K

-K40 - 4000K

-K50 - 5000K

CRI: **-C80** - 80

-C90 - 90

Beam Angle **-B1** - 15.5° = 1450 lm

and lumens: **-B2** - 28.2° = 1344 lm

-B3 - 39.5° = 1357 lm


Finish options: **-WL** - White

-BL - Black

Operating temperature range - -20 to +40°C

Maintenance of lumen - L80 - 50 000 hours at 25 °C

PHOTOMETRICS:



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE FOR TRACK: BY-TWC-TC-1-01-BL

CODE FOR TRACK HEAD: 65070-01-K30-C80-B1-WL

CODE FOR ACCESSORIES: 105-WH / 305-BL

CODE:

65070-01-K30-C80-WL

1 CHOOSE TRACK HEAD:

GENERAL INFORMATION

CODE - **-65070-02**

Dimensions: Ø: 2.56" (6.5 cm) x H: 6" (23.4 cm)

Housing: AL Extrude, Electrostatic Powder Coating

Reflector: PC (Vacuum Coating)

Light Source: LED (COB)

Power: 28W

Output Current 350 mA

CCT: **-K30 - 3000K**

-K40 - 4000K

-K50 - 5000K

CRI: **-C80 - 80**

-C90 - 90

Beam Angle **-B1 - 25.1° = 2583 lm**

and lumens: **-B2 - 35.1° = 2555 lm**

Finish options: **-WL - White**

-BL - Black

Operating temperature range - -20 to +40°C

Maintenance of lumen - L80 - 50 000 hours at 25 °C

PHOTOMETRICS:



3 000 K

h(m)	E(lx)	D(mm)
1	9087	446
2	2272	892
3	1010	1337



3 000 K

h(m)	E(lx)	D(mm)
1	5844	633
2	1461	1266
3	649	1899

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE FOR TRACK: BY-TWC-TC-1-01-BL

CODE FOR TRACK HEAD: 65070-01-K30-C80-B1-WL

CODE FOR ACCESSORIES: 105-WH / 305-BL

CODE:

65070-01-K30-C80-WL

1

CHOOSE TRACK HEAD:

GENERAL INFORMATION

CODE - **-65070-02**

Dimensions: Ø: 3.27" (8.3 cm) x H: 6.5" (16.5 cm)

Housing: AL. Extrude, Electrostatic Powder Coating

Reflector: Lens

Light Source: LED (COB)

Power: 23W

Output Current 600 mA

CCT: **-K30** - 3000K

-K40 - 4000K

-K50 - 5000K

CRI: **-C80** - 80

-C90 - 90

Beam Angle **-B1** - 20.1° = 2513 lm

and lumens: **-B2** - 35.1° = 2536 lm

-B3 - 46.3° = 2593 lm



Finish options: **-WL** - White

-BL - Black

Operating temperature range - -20 to +40°C

Maintenance of lumen - L80 - 50 000 hours at 25 °C

PHOTOMETRICS:



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:


sales@gordonbullard.com

www.byiba.com


1 877-964-4646

ACCESSORIES FOR 1 CIRCUIT TRACK:


-105
Feed-in Cap
-BL - Black
-WH - White




-106
End Cap
-BL - Black
-WH - White




-107
Straight Connector
-BL - Black
-WH - White




-108
L Connector
-BL - Black
-WH - White




-110
T Connector
-BL - Black
-WH - White



-111
X Connector
-BL - Black
-WH - White



-153
Adapter
-BL - Black
-WH - White



HOW TO ORDER:

Example:
CODE: 105-WH

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE




WE WELCOME ALL CUSTOM ORDERS

CONTACT US:


sales@gordonbullard.com
www.byiba.com
1 877-964-4646

ACCESSORIES FOR 3CIRCUIT TRACK:


-305
Feed-in Cap
-BL - Black
-WH - White




-306
End Cap
-BL - Black
-WH - White




-307
Straight Connector
-BL - Black
-WH - White




-308
L Connector
-BL - Black
-WH - White




-310
T Connector
-BL - Black
-WH - White



-311
X Connector
-BL - Black
-WH - White



-351
Adapter
-BL - Black
-WH - White



HOW TO ORDER:

Example:
CODE: -305-BL

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646