



ARIEL XL
(wall)

BY-8428-PL

PROJECT

SPEC TYPE

NOTES



LED

E26

R7S

110-277V

110-120V

STANDARD

IP20

CASAMBI

LUTRON

GENERAL INFORMATION:

Bring sophisticated lighting into your space with the BYIBA Ariel XL 8428 — a beautifully crafted wall-mounted fixture that blends minimalist form, fine materials and Italian craftsmanship. Crafted from high-quality ceramic, the Ariel XL 8428 features a horizontal, elongated chalice-shape that projects a single upward light emission for gentle, ambient wall-washing effect. Its upward-light emission softly highlights wall surfaces without direct glare — ideal for ambient lighting in corridors, living rooms, boutique hotel lobbies or refined commercial interiors. With its range of light source and finish options, the fixture adapts easily to project or bespoke lighting requirements.

MATERIAL:

CERAMICA ®

FINISHING:

White / Paintable

LIGHTING:

LED / E26 / R7S

INPUT VOLTAGE:

110-277V / 110-120V

IP RATING:

IP20

DRIVER POSITION:

Remote

INSULATION CLASS:

II

WEIGHT:

2.76 lb

WWW.BULLARDCOLLECTION.COM

- TECHNICAL
- OUTDOOR
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


CONTACT US:

sales@gordonbullard.com
www.byiba.com
 1 877-964-4646


PROJECT

SPEC TYPE


NOTES



14.37" (36.5 cm)



5.51" (14 cm)



HOW TO ORDER:

CODE:

Example:
CODE: BY-8428-PL-LED-K27-DIM-CUS

BY-8428-PL-
LED-K27-DIM-
CUS

1 DIMENSIONS:

A) Height - H: 3.94" (10 cm)
B) Length - L: 14.37" (36.5 cm)
C) Depth - P: 5.51" (14 cm)

2 LIGHT SOURCE:

-LED LED / 15W / 110-277V / CRI 85
-R7S-118 LED R7S / max. 20W / 110-120V
-R7S-78 LED R7S / max. 120W / 110-120V
-E26 E26 / max. 52W / 110-277V

3 CCT & LUMENS: (available only for LED)

-K27 2700K = 2150 lm
-K30 3000K = 2250 lm
-K40 4000K = 2350 lm

4 DIMMING OPTIONS: (available only for LED)

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-WF WI-FI
-NON Non-Dimmable

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646