




CUADRO
(acoustic lighting)

BY-CDR-AC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The Cuadro Pendant Acoustic Lighting combines high-quality illumination with effective sound absorption, making it ideal for diverse interiors. Made from 0.47" polyester fiber, it's available in 35 acoustic felt colors and offers a soft, efficient LED light source at 15W with a CRI >90, and CCT options of 2700K, 3000K, or 4000K. Its non-toxic, hypoallergenic materials ensure safe use, while its simple design allows for easy disassembly and installation. This fixture enhances both style and acoustics, bringing functionality and elegance to modern spaces.

MATERIAL:

Polyster fiber (0.47")

FINISHING:

35 acoustic felt colors

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-4°F to 104°F



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:

CODE: BY-CDR-AC-K30-AC-00114-DIM

CODE:

BY-CDR-AC-
K30AC-00114-
DIM

1 DIMENSIONS:

A) Length -	L: 20" (50.8 cm)
B) Width -	W: 20" (50.8 cm)
C) Height -	H: 15.2" (38.6 cm)
Canopy	Ø: 5" (12.7 cm) x H: 5" (12.7 cm)

2 LIGHT SOURCE:

LED / 10W / 1050 lm / CRI >90

3 CCT SPECIFY:

-K27	2700K
-K30	3000K
-K40	4000K

4 ACOUSTIC FINISH OPTIONS:

-AC-001141	-AC-019126
-AC-002122	-AC-020128
-AC-003120	-AC-021130
-AC-004123	-AC-024117
-AC-005107	-AC-025138
-AC-006106	-AC-028110
-AC-007145	-AC-033103
-AC-008129	-AC-034102
-AC-009140	-AC-035101
-AC-011135	-AC-036105
-AC-012133	-AC-038127
-AC-013111	-AC-040124
-AC-014144	-AC-043115
-AC-016104	-AC-044114
-AC-017147	-AC-039143

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.byiba.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-CDR-AC-K30-AC-00114-DIM

CODE:

BY-CDR-AC-
K30AC-00114-
DIM

5


DIMMING OPTIONS:

-DIM 0-10V
-DALI DALI
-LT Lutron
-CS Casambi
-WF WI-FI
-NON Non-Dimmable

6

PHOTOMETRIC:

LIGHT DISTRIBUTION:



OPTICAL SYSTEM:

Height	Center lx	Diameter
1.m	530.08 lx	312.13cm
2.m	132.52 lx	624.26cm
3.m	58.90 lx	936.39cm
4.m	33.13 lx	1248.52cm
5.m	21.20 lx	1560.65cm
6.m	14.72 lx	1872.78cm
7.m	10.82 lx	2184.92cm
8.m	8.28 lx	2497.05cm
9.m	6.54 lx	2809.18cm
10.m	5.30 lx	3121.31cm
11.m	4.38 lx	3433.44cm
12.m	3.68 lx	3745.57cm
13.m	3.14 lx	4057.70cm
14.m	2.70 lx	4369.83cm
15.m	2.36 lx	4681.96cm
16.m	2.07 lx	4994.09cm



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646