



DALIA SMALL  
(wall)

BY-7576-PL

PROJECT

SPEC TYPE

NOTES

## GENERAL INFORMATION:

Illuminate your space with understated elegance. The BYIBA Dalia Small 7576 is a beautifully crafted wall-mounted fixture that merges minimalist design with premium materials — perfect for modern interiors and refined architecture. Its minimal form makes it ideal whether you want the lighting fixture to be a subtle backdrop or a statement in its own right. It's designed for versatility: works flawlessly in residential settings (bedrooms, corridors) or commercial spaces (receptions, lounges) where refined lighting is key.

## MATERIAL:

CERAMICA ®

## FINISHING:

White / Paintable

## LIGHTING:

LED / E26 / R7S

## INPUT VOLTAGE:

110-277V / 110-120V

## IP RATING:

IP20

## DRIVER POSITION:

Remote

## INSULATION CLASS:

II

## WEIGHT:

1.87 lb


[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:


[sales@gordonbullard.com](mailto:sales@gordonbullard.com)
[www.byiba.com](http://www.byiba.com)

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



4.92" (12.5 cm)

[WWW.BULLARDCOLLECTION.COM](http://WWW.BULLARDCOLLECTION.COM)

TECHNICAL

OUTDOOR

DECORATIVE

## HOW TO ORDER:

Example:

CODE: BY-7576-PL-LED-K27-DIM-CUS

CODE:

BY-7576-PL-  
LED-K27-DIM-  
CUS

## 1 DIMENSIONS:

- A) Height - H: 2.95" (7.5 cm)
- B) Length - L: 13.39" (34 cm)
- C) Depth - P: 4.92" (12.5 cm)

## 2 LIGHT SOURCE:

-LED	LED / 12W / 110-277V / CRI 85
-R7S-118	LED R7S / max. 20W / 110-120V
-R7S-78	LED R7S / max. 120W / 110-120V
-E26	E26 / max. 52W / 110-277V

## 3 CCT &amp; LUMENS: (available only for LED)

-K27	2700K = 1700 lm
-K30	3000K = 1800 lm
-K40	4000K = 1900 lm

## 4 DIMMING OPTIONS: (available only for LED)

-DIM	0-10V
-DALI	DALI
-LT	Lutron
-CS	Casambi
-WF	WI-FI
-NON	Non-Dimmable



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)[www.byiba.com](http://www.byiba.com)

1 877-964-4646