



STELE COLLECTION (BOLLARD)

The STELE COLLECTION outdoor bollards are inspired by ancient Greek architecture, reinterpreting the presence of classical columns in a contemporary sculptural form. Their ribbed surface creates a strong three-dimensional texture, enhanced by the interplay of light and shadow on the material. A distinctive arched opening allows light to spread outward, evoking the feeling of a luminous portal. This creates warm, atmospheric lighting that enhances outdoor spaces with a refined and evocative character.



PROJECT
SPEC TYPE
NOTES



MATERIAL:

BETALY®

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

IP65

APPLIANCE CLASS:

II/III

DRIVER POSITION:

Remote driver

WARRANTY:

5 years

MAIN FEATURES:

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -40°~ +60°



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

WWW.BYIBA.COM



Contact Us:


sales@gordonbullard.com

www.byiba.com


1 877-964-4646

Updated 03/24/2026

-S



-M



HOW TO ORDER:

Example:

CODE: BY-1128AB-9010-S-K22-DIM-392

BY-1128AB-9010-
-S-K22-DIM-392

1 MODELS:

-S

DIMENSIONS:

Diameter - Ø: 5.5" (14 cm)
Height - H: 15.75" (40 cm)
Length - L: 3.46" (8.8 cm)

-M

DIMENSIONS:

Diameter - Ø: 5.5" (14 cm)
Height - H: 27.56" (70 cm)
Length - L: 3.46" (8.8 cm)

2 LIGHT SOURCE:

LED / 4W / 110-277V / CRI 80

3 CCT&LUMENS:

-K22 2200K = 570 lm
-K27 2700K = 600 lm
-K30 3000K = 630 lm

4 DIMMING OPTIONS:

-DIM 0-10V
-LT Lutron
-CS Casambi
-NON Non-Dimmable

5 FINISH OPTIONS:

-392 White 
-393 Green 
-394 Corten 
-395 Grey 
-396 Black 
-397 Sand 

PROJECT

SPEC TYPE

NOTES



WE WELCOME ALL CUSTOM ORDERS

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:

sales@gordonbullard.com

www.byiba.com

1 877-964-4646